



PART NO.	DESCRIPTION	SIZE	CTN QTY
<b>4 - STROKE OILS</b>			
16-424-01	300V <b>FACTORY LINE</b> (5W 30)	100% Double Ester	1 L 12
16-424-04	300V <b>FACTORY LINE</b> (5W 30)	100% Double Ester	4 L 4
16-413-01	300V <b>FACTORY LINE</b> (5W 40)	100% Double Ester	1 L 12
16-413-04	300V <b>FACTORY LINE</b> (5W 40)	100% Double Ester	4 L 4
16-408-01	300V <b>FACTORY LINE</b> (10W 40)	100% Double Ester	1 L 12
16-408-04	300V <b>FACTORY LINE</b> (10W 40)	100% Double Ester	4 L 4
16-408-20	300V <b>FACTORY LINE</b> (10W 40)	100% Double Ester	20 L DRUM
16-408-60	300V <b>FACTORY LINE</b> (10W 40)	100% Double Ester	60 L DRUM
16-401-01	300V <b>FACTORY LINE</b> (15W 50)	100% Double Ester	1 L 12
16-401-02	300V <b>FACTORY LINE</b> (15W 50)	100% Double Ester	2 L 12
16-401-04	300V <b>FACTORY LINE</b> (15W 50)	100% Double Ester	4 L 4
16-401-20	300V <b>FACTORY LINE</b> (15W 50)	100% Double Ester	20 L DRUM
16-401-60	300V <b>FACTORY LINE</b> (15W 50)	100% Double Ester	60 L DRUM
16-401-220	300V <b>FACTORY LINE</b> (15W 50)	100% Double Ester	208 L DRUM
16-420-01	7100 (10W 40) <b>JASO MA/API SL</b>	100% Synthetic with Ester	1 L 12
16-420-04	7100 (10W 40) <b>JASO MA/API SL</b>	100% Synthetic with Ester	4 L 4
16-420-20	7100 (10W 40) <b>JASO MA/API SL</b>	100% Synthetic with Ester	20 L DRUM
16-420-60	7100 (10W 40) <b>JASO MA/API SL</b>	100% Synthetic with Ester	60 L DRUM
16-420-208	7100 (10W 40) <b>JASO MA/API SL</b>	100% Synthetic with Ester	208 L DRUM
16-421-01	7100 (20W 50) <b>JASO MA/API SL (HD SPECS)</b>	100% Synthetic with Ester	1 L 12
16-421-04	7100 (20W 50) <b>JASO MA/API SL (HD SPECS)</b>	100% Synthetic with Ester	4 L 4
16-421-20	7100 (20W 50) <b>JASO MA/API SL (HD SPECS)</b>	100% Synthetic with Ester	20 L DRUM
16-421-60	7100 (20W 50) <b>JASO MA/API SL (HD SPECS)</b>	100% Synthetic with Ester	60 L DRUM
16-421-208	7100 (20W 50) <b>JASO MA/API SL (HD SPECS)</b>	100% Synthetic with Ester	208 L DRUM
16-423-01	5100 (10W 30) <b>JASO MA/API SL</b>	Ester Synthetic	1 L 20
16-423-04	5100 (10W 30) <b>JASO MA/API SL</b>	Ester Synthetic	4 L 4
16-423-20	5100 (10W 30) <b>JASO MA/API SL</b>	Ester Synthetic	20 L DRUM
16-423-60	5100 (10W 30) <b>JASO MA/API SL</b>	Ester Synthetic	60 L DRUM
16-423-208	5100 (10W 30) <b>JASO MA/API SL</b>	Ester Synthetic	208 L DRUM
16-412-01	5100 (10W 40) <b>JASO MA/API SL</b>	Ester Synthetic	1 L 20
16-412-02	5100 (10W 40) <b>JASO MA/API SL</b>	Ester Synthetic	2 L 12
16-412-04	5100 (10W 40) <b>JASO MA/API SL</b>	Ester Synthetic	4 L 4
16-412-20	5100 (10W 40) <b>JASO MA/API SL</b>	Ester Synthetic	20 L DRUM
16-412-60	5100 (10W 40) <b>JASO MA/API SL</b>	Ester Synthetic	60 L DRUM
16-412-206	5100 (10W 40) <b>JASO MA/API SL</b>	Ester Synthetic	208 L DRUM
16-416-01	5100 (10W 50) <b>JASO MA/API SL</b>	Ester Synthetic	1 L 20
16-416-02	5100 (10W 50) <b>JASO MA/API SL</b>	Ester Synthetic	2 L 12
16-416-04	5100 (10W 50) <b>JASO MA/API SL</b>	Ester Synthetic	4 L 4
16-416-20	5100 (10W 50) <b>JASO MA/API SL</b>	Ester Synthetic	20 L DRUM
16-416-60	5100 (10W 50) <b>JASO MA/API SL</b>	Ester Synthetic	60 L DRUM
16-416-208	5100 (10W 50) <b>JASO MA/API SL</b>	Ester Synthetic	208 L DRUM
16-410-01	5000 (10W 40) <b>JASO MA/API SJ</b> <b>SUPERCEDES TO 16-417-01</b>	HC-TECH® Synthetic	1 L 20
16-410-04	5000 (10W 40) <b>JASO MA/API SJ</b> <b>SUPERCEDES TO 16-417-04</b>	HC-TECH® Synthetic	4 L 4
16-410-20	5000 (10W 40) <b>JASO MA/API SJ</b> <b>SUPERCEDES TO 16-417-20</b>	HC-TECH® Synthetic	20 L DRUM
16-410-60	5000 (10W 40) <b>JASO MA/API SJ</b>	HC-TECH® Synthetic	60 L DRUM
16-410-220	5000 (10W 40) <b>JASO MA/API SJ</b> <b>SUPERCEDES TO 16-417-200</b>	HC-TECH® Synthetic	208 L DRUM
16-414-04	3100 GOLD (15W 50) <b>JASO MA/API SJ</b>	Synthetic	4 L 4
16-414-20	3100 GOLD (15W 50) <b>JASO MA/API SJ</b>	Synthetic	20 L DRUM
16-414-200	3100 GOLD (15W 50) <b>JASO MA/API SJ</b>	Synthetic	200 L DRUM
16-417-01	3100 GOLD (10W40) <b>JASO MA/API SJ</b>	Synthetic	1L 20
16-417-04	3100 GOLD (10W40) <b>JASO MA/API SJ</b>	Synthetic	4L 4
16-417-20	3100 GOLD (10W40) <b>JASO MA/API SJ</b>	Synthetic	20 L DRUM
16-417-200	3100 GOLD (10W40) <b>JASO MA/API SJ</b>	Synthetic	200 L DRUM
16-403-02	CLASSIC SAE 50	Pre 1950 Mineral	2 L 12
16-409-02	CLASSIC 20W50	Post 1950 Mineral	2 L 12
16-440-01	SCOOTER EXPERT (10W 40) 4T <b>JASO MA/API SJ</b> Synthetic		1 L 20
16-406-01	1000 (20W 50) <b>JASO MA/API SG</b>	Mineral with E.P. Additive	1L 20
16-406-04	1000 (20W 50) <b>JASO MA/API SG</b>	Mineral with E.P. Additive	4L 4
16-406-20	1000 (20W 50) <b>JASO MA/API SG</b>	Mineral with E.P. Additive	20 L DRUM
16-406-200	1000 (20W 50) <b>JASO MA/API SG</b>	Mineral with E.P. Additive	200 L DRUM



PART NO.	DESCRIPTION	SIZE	CTN QTY
----------	-------------	------	---------

### 2 STROKE OILS

16-201-01	800 <b>FACTORY LINE</b>	100% Ester	1 L	12
16-201-04	800 <b>FACTORY LINE</b>	100% Ester	4 L	4
16-201-20	800 <b>FACTORY LINE</b>	100% Ester	20 L	DRUM
16-201-60	800 <b>FACTORY LINE</b>	100% Ester	60 L	DRUM
16-202-01	710 2T <b>JASO FD/FC/API TC</b>	100% Ester	1 L	20
16-202-04	710 2T <b>JASO FD/FC/API TC</b>	100% Ester	4 L	4
16-202-20	710 2T <b>JASO FD/FC/API TC</b>	100% Ester	20 L	DRUM
16-202-60	710 2T <b>JASO FD/FC/API TC</b>	100% Ester	60 L	DRUM
16-210-01	510 2T <b>JASO FD/FC/API TC</b>	Synthetic	1 L	20
16-210-04	510 2T <b>JASO FD/FC/API TC</b>	Synthetic	4 L	4
16-210-20	510 2T <b>JASO FD/FC/API TC</b>	Synthetic	20 L	DRUM
16-210-60	510 2T <b>JASO FD/FC/API TC</b>	Synthetic	60 L	DRUM
16-210-220	510 2T <b>JASO FD/FC/API TC</b>	Synthetic	208 L	DRUM
16-240-01	SCOOTER EXPERT 2T <b>JASO FC/API TC</b>	Synthetic	1 L	20
16-240-20	SCOOTER EXPERT 2T <b>JASO FC/API TC</b>	Synthetic	20L	DRUM
16-240-60	SCOOTER EXPERT 2T <b>JASO FC/API TC</b>	Synthetic	60L	DRUM
16-205-01	100 2T <b>API TC</b>	Mineral	1 L	20
16-205-04	100 2T <b>API TC</b>	Mineral	4 L	4
16-205-20	100 2T <b>API TC</b>	Mineral	20 L	DRUM
16-205-60	100 2T <b>API TC</b>	Mineral	60 L	DRUM
16-205-220	100 2T <b>API TC</b>	Mineral	208 L	DRUM
16-209-01	GRAND PRIX KART 2T	100% Ester	1 L	12

### GEAR BOX OILS

16-501-01	GEAR 300 (75W 90)	100% Synthetic	1 L	12
16-501-20	GEAR 300 (75W 90)	100% Synthetic	20 L	DRUM
16-501-60	GEAR 300 (75W 90)	100% Synthetic	60 L	DRUM
16-502-01	MOTYL GEAR (75W 90)	Semi-Synthetic	1 L	12
16-502-20	MOTYL GEAR (75W 90)	Semi-Synthetic	20 L	DRUM
16-502-60	MOTYL GEAR (75W 90)	Semi-Synthetic	60 L	DRUM
16-502-220	MOTYL GEAR (75W 90)	Semi-Synthetic	208 L	DRUM
16-503-01	GEARBOX (80W 90)	Mineral+Molybdenum	1 L	12
16-503-20	GEARBOX (80W 90)	Mineral+Molybdenum	20 L	DRUM
16-503-60	GEARBOX (80W 90)	Mineral+Molybdenum	60 L	DRUM
16-503-220	GEARBOX (80W 90)	Mineral+Molybdenum	208 L	DRUM
16-505-01	H.D. GEARBOX (80W 90)	Mineral	1 L	12
16-505-20	H.D. GEARBOX (80W 90)	Mineral	20 L	DRUM
16-505-220	H.D. GEARBOX (80W 90)	Mineral	208 L	DRUM
16-506-01	TRANSOIL <b>EXPERT</b> (10W 40)	2T Technosynthese® Ester	1 L	12
16-504-01	TRANSOIL (10W 30)	2T Mineral	1 L	20
16-504-04	TRANSOIL (10W 30)	2T Mineral	4 L	4
16-504-20	TRANSOIL (10W 30)	2T Mineral	20 L	DRUM
16-504-60	TRANSOIL (10W 30)	2T Mineral	60 L	DRUM
16-507-01	SCOOTER GEAR (80W90)	2T/4T Mineral	150ml	24
16-508-05	TRH97 (WET BRAKES)	Mineral	5L	4





PART NO.	DESCRIPTION	SIZE	CTN QTY
<b>SPRAY CANS (AEROSOLS) - D.G</b>			
16-701-00	BRAKE CLEAN CONTACT CLEANER	400 ml	12
16-702-00	SHINE & GO SILICONE CLEAN	400 ml	12
16-710-00	CHAIN CLEAN	400 ml	12
16-711-00	CARBU CLEAN	400 ml	12
16-712-00	WASH & WAX	400 ml	12
16-704-00	CHAIN LUBE OFF-ROAD	<i>Dirt</i> 400 ml	12
16-705-00	CHAIN LUBE ROAD	<i>Road</i> 400 ml	12
16-709-00	CHAIN LUBE <b>FACTORY LINE</b>	<i>Road Racing</i> 400 ml	12
16-703-00	E.Z. LUBE MULTI PROTECT	<i>Cable Lube</i> 250 ml	12
16-707-00	TYRE REPAIR	300 ml	12
<b>BRAKE FLUID</b>			
16-801-050	RBF 600 <b>FACTORY LINE</b>	<i>100% Synthetic</i> 500 ml	12
16-802-050	DOT 5.1	<i>100% Synthetic</i> 500 ml	12
16-802-05	DOT 5.1	<i>100% Synthetic</i> 5 L	4
16-803-050	DOT 4	<i>100% Synthetic</i> 500 ml	12
16-803-05	DOT 4	<i>100% Synthetic</i> 5 L	4
<b>FORK OILS</b>			
16-620-01	<b>FACTORY LINE</b> - VERY LIGHT (2.5W)	<i>100% Ester</i> 1 L	12
16-621-01	<b>FACTORY LINE</b> - LIGHT (5W)	<i>100% Ester</i> 1 L	12
16-621-20	<b>FACTORY LINE</b> - LIGHT (5W)	<i>100% Ester</i> 20 L	DRUM
16-621-60	<b>FACTORY LINE</b> - LIGHT (5W)	<i>100% Ester</i> 60 L	DRUM
16-622-01	<b>FACTORY LINE</b> - LIGHT / MEDIUM (7.5W)	<i>100% Ester</i> 1 L	12
16-623-01	<b>FACTORY LINE</b> - MEDIUM (10W)	<i>100% Ester</i> 1 L	12
16-630-01	EXPERT - LIGHT (5W)	<i>Technosynthese®</i> 1 L	12
16-631-01	EXPERT - MEDIUM (10W)	<i>Technosynthese®</i> 1 L	12
16-632-01	EXPERT - MEDIUM / HEAVY (15W)	<i>Technosynthese®</i> 1 L	12
16-633-01	EXPERT - HEAVY (20W)	<i>Technosynthese®</i> 1 L	12
16-608-20	5W (ISO 22)	<i>Mineral</i> 20 L	DRUM
16-605-20	10W (ISO 32)	<i>Mineral</i> 20 L	DRUM
16-606-20	15W (ISO 46)	<i>Mineral</i> 20 L	DRUM
16-607-20	20W (ISO 68)	<i>Mineral</i> 20 L	DRUM
<b>SHOCK OIL</b>			
16-615-01	<b>FACTORY LINE</b> - VI 400	<i>100% Ester</i> 1L	12
<b>COOLANTS</b>			
16-820-01	INUGEL EXPERT	<i>Ready to Use</i> 1 L	12
16-820-20	INUGEL EXPERT	<i>Ready to Use</i> 20 L	DRUM
16-820-60	INUGEL EXPERT	<i>Ready to Use</i> 60 L	DRUM
16-822-01	INUGEL ULTRA *	<i>Concentrate</i> 1 L	12
16-822-20	INUGEL ULTRA *	<i>Concentrate</i> 20 L	DRUM
16-822-245	INUGEL ULTRA *	<i>Concentrate</i> 208 L	DRUM
16-824-01	MOTOCOOL <b>FACTORY LINE</b>	<i>Ready to Use</i> 1L	12
* Recommended Mix Ratio:- 33% Coolant 66% Water / 20L Makes 60L Ready to use			
<b>GREASES</b>			
16-830-002	TECH GREASE 300 TUBE	<i>Lithium</i> 200 gm	24
16-830-004	TECH GREASE 300 CARTRIDGE	<i>Lithium</i> 400 gm	24
16-831-01	TOP GREASE 200	<i>Lithium</i> 1 kg	12
16-832-05	MULTI GREASE 150	<i>Lithium</i> 5 kg	4
<b>MAINTENANCE PRODUCTS</b>			
16-812-05	AIR FILTER OIL - (D.G)	<i>Foam</i> 1 L	6
16-811-02	AIR FILTER CLEAN	5L	4
16-840-00	ENGINE CLEAN - (D.G)	<i>Oil System</i> 200 ml	12
16-841-00	FUEL SYSTEM CLEAN - (D.G)	200 ml	12
16-713-00	CLEAR VISION (Wipes)	16 Wipes	12
16-714-00	VALVE EXPERT (Treats 250L)	250ml	12