

movu Technical Guide

'maintaining your passion'

4 stroke

2 stroke

A few points about Ester!

Esters are derived from plants. Unlike other synthetic oils on the market, such as PAO polyalfaolefens and hydrocracked (extra high viscosity index [XHVI]) which are derived from crude oil. Esters have better lubricating properties and bring engine oils to new levels in performance and endurance.

1. Esters have a higher resistance to thermal breakdown. Basically a higher flash point, up to 70 degrees celsius more than normal multigrade oil. This means in the hotter parts of the engine, such as the cylinder walls and bearings, where there is extreme heat, the oil doesn't burn off and leave carbon deposits. (When carbon deposits are formed, the detergent present in most oils will disperse these, which then mix with the oil, breaking down its lubricating properties and turning it black.

- 2. The Ester molecules (complex Ester in MOTUL) are double bonded, which effectively gives the oil an unshearable film.
- 3. MOTUL Ester molecules are polar static negative; (The carbon molecule has a negative polarity that makes the oil magnetic) and the oil sticks to every part of the metal inside the engine at all times, even when the motor is not running, so at cold startup, there's oil already there.
- 4. Esters reduce friction, which keeps the engine cooler and allows it to develop more horsepower.
- 5. Esters are produced from plants. They are a renewable product that are also biodegradable. That's great for your engine and great for our environment.

MOTUL 300V

ESTER Core 100% synthetic.

The best MOTUL has to offer, up to a 272 degree celsius flash point in the 15W50. Available in five different viscosity grades, 5W30, 5W40, 10W40, 15W50, 15W60, there is one to suit every current technology motorcycle. For extreme protection and more power.

Extra Power

Factory teams do confirm that 300V FACTORY LINE 5W40 outperforms 10W40 and 15W50 formulas, not only in the first laps but throughout the whole race. Expect up to 5% + extra power.



Extra Protection

In superbike engines, hotspots can hit the 350oc / 750oFtemperature range, 300V FACTORY LINE is designed for that. Thanks to its specially designed ESTER molecules, 300V FACTORY LINE withstands high temperatures twice as long as current synthetic oils.

MOTUL 7100 Ester

100% Synthetic.

Combining ester and 100% PAO technology delivers the best of both worlds with high shear strength, low friction and magnetivity at the right price. 10W40, 10W50, 10W60, 20W50 the coolest oil yet for Harley Davidsons. 11 & 41

MOTUL 7100 Ester

100% Synthetic.

Combining ester and 100% PAO technology delivers the best of both worlds with high shear strength, low friction and magnetivity at the right price. 10W40, 10W50, 10W60, 20W50 the coolest oil yet for Harley Davidsons. 1L & 4L

MOTUL 5100 Ester

This Ester based oil is blended with PAO technology to reduce the cost and still offer one of the best motorcycle oils on the market. MOTUL 5100 also has extreme pressure additives to protect the gearbox from metal to metal contact (through metal absorption), and a flash point of up to 240 degrees celsius in the 10W40. Available in three viscosity grades 10W30, 10W40 and 10W50 there is one to suit all four stroke bikes.

1L, 2L & 4L

MOTUL 3100 GOLD

Synthetic technology. Reduces engine wear. High thermal stability, same gearbox package as 5100. 10W/40 and 15W50

1L & 4L

MOTUL TWIN SYN 20W50

Synthetic technology. Designed specifically for V-twins for maximum protection. Reduces engine wear and gives smoother operation.

1L & 4L

1L & 4L

MOTUL 3000 PLUS SEMI SYNTHETIC

gear box additive as 5100 Ester, with a flash point of 240 degrees celsius. Available in three viscosity grades 10W30, 10W40 & 15W50.

Great for air cooled engines. HC TECH. Has the same

Mix Rates for Two Stroke Oil

Fuel / Oil		ml	fl.oz per	fl.oz per				
Ratio	1 litre	5 litres	10 litres	20 litres	1 gallon	litre	gallon	
25:1	40	200	400	800	182	1.41	6.4	
32:1	31.3	156.5	313	626	142	1.10	5.0	
33:1	30.3	151.5	303	606	137	1.07	4.9	
40:1	25	125	250	500	130	0.88	4.0	
50:1	20	100	200	400	91	0.70	3.2	
66:1	15.2	76	152	304	71	0.56	2.5	
100:1	10	50	100	200	45.5	0.35	1.6	

For Premix Racing Two Stroke Engines

MOTUL 800 2T

Road Racing 125, 250, 500cc or Desert Racing 33:1 to 25:1 (Where throttle is open for an extended time) 40.1 Enduro (wide open track) Moto Cross 125, 250, 500cc 50.1 Super Cross (tight short track) 66:1

For Injector Racing Two Stroke Engines
MOTUL 710 2T Use Manufacturers recommendations For Injector Racing Two Stroke Engine

POWERLUBE Use Manufacturers recommendations 510 2T



ESTER Core 100% synthetic lubricant benefiting directly from our experience in competition. Specific formula for high-performance two-stroke engines. Premix lubrication only. Retains all its properties even under extremely humid conditions (damp, fog). Its red colouring makes it easy to detect in the fuel and on engine parts during disassembly. Perfectly suited for racing or off-road bikes. Standards: API TC 1L & 4L

Ester-based 100% synthetic lubricant. Recommended for high-performance two-stroke engines, injector or premix lubrication. Anti-smoke and anti-fouling properties. For sports use and daily riding on the road or off. Standards: APITC, JASO FC, ISO-L-EGD

Powerlube 510 2T

TECHNOSYNTHESE® lubricant for two-stroke engines, injector or pre-mix lubrication. Specific anti-smoke and anti-fouling formula keeps the engine perfectly clean. Special colouring makes the mix easily visible Suitable for two-wheelers of all capabilities. Standards APITC, JASO FC, ISO-L-EGD 1L & 4L

100 2T Mineral oil for two-stroke engines, injector or premix lubrication. Standards APITC, JASO FB level. 1L & 4L

TRANSOIL 10W30

Lightweight oil for more horsepower. Ideal for racing up to 125cc. 1L& 4L

TRANSOIL EXPERT 10W40

Reinforced with Ester Base Stocks. Extreme Protection 11 & 41















Moru Maintenance Line 'maintaining your passion'

Maintenance

Chains





Chain lube Off-road:

A light tacky lubricant that resists picking up grit. Specially designed to lubricate chains for off road bikes and quads. For use in extreme operating conditions.

Chain Lube Road:

specially designed for the

chains or road bikes and karts.

Reduces high-speed splatter.

Colourless lubricant

Resists flying off.



Chain clean:

super degreaser

High powered degreaser for all bike chains (road and off road). Formulated without chlorine. 400ml



Chain Paste: lubricating paste

White lubricating paste with brush tip applicator. Specially designed to lubricate all types of road bikes and cart chains 150ml



Chain Lube Factory Line:

for more power

A lubricant specially developed to lubricate racing motorcycle chains; road racing and endurance bikes. Its BORON TECH® formulation limits the rolling resistance for greater power.

Carburettor Cleaner

Carbu clean:

improves carburettion

Carburettor cleaner formulated to eliminate deposits, varnishes and gums. Spray directly into 400ml



Air Filter

Air filter oil:

better carburettion

Oil specially developed to lubricate foam air filters for off road bikes.



Air filter spray:

better carburettion

Use with on and off road motorcycles. Convenient aerosol pack prevents wastage. 400ml



Engine Cleaners

Motul Care System



Engine clean

ans and protects

Clean the engine before an oil change. Specifically formulated for 4 stroke bike engines. Keeps the oil clean longer and restores engines compression.



4 stroke Motorcycle Engine 1000cc - 15000kms





Fuel system clean:

superior engine output

Cleaner specially designed for the fuel system of 4 stroke bike engines. Reinforced action on valves, carburettors, injectors and combustion chambers. Disperses moisture for 3 months.



FUEL STABILIZER

keeps fuel fresh

Prevents fuel from deteriorating up to 2 years. Cleans valves. Excellent protection against engine corrosion. 2T & 4T 250ml



VALVE EXPERT

protects and lubricates

Effective in modern 4-stroke MX bikes Lubricating effect of lead when using unleaded fuel. 250ml

Clean & Shine



SHINE & GO silicone clean:

liance and

Shine & Go shines and enhances plastic surface colours thanks to its exclusive silicone-based formula. It leaves behind a long lasting protective film. Spray on radiator and under fenders to prevent mud buildup. 400ml



PERFECT SEAT:

maintain & clean

vinyl seatsSilicone free, anti-slip formula. Leaves seat looking new! 400ml



WASH & WAX:

"dry clean" your

Wash & Wax cleans, protects and makes your bike shine down to the chrome, all without the use of water. It leaves behind a long lasting protective finish. 400ml



MOTO WASH:

"entire bike" wash Moto Wash is a powerful

biodegradable cleaner & degreaser, Leaves a corrossion resistant film which protects all parts.





Maintenance Line 'maintaining your passion'

Brake Fluid

Dot 3 & 4

Perfect for everyday use. Dry boiling point of 245°C. Meets Dot 3 & Dot 4 manufacturer's recommendations 100% Synthetic

500ml

Dot 5.1

Performance brake fluid for those wanting improved resistance to brake fade with a higher dry boiling point of 272°C. Specially developed for anti-lock braking systems (ABS) 100% Synthetic

500ml



Motul racing brake fluid has an incredibly high boiling point of 312°C. Brake fade becomes a thing of the past! Dot 4 100% Synthetic

500ml

Racing Brake Fluid 660

Motul's highest boiling point brake fluid at 325°C. Guarantees exceptional performance under extreme conditions. Dot 4 100% Synthetic

500ml









Preservation

Tyre repair anti-flat:

quick repair

E.Z. Lube:

multi protect

Seals and re-inflates tyre, with or without an inner tube. Latex formulation.

300ml









Brake & Parts Cleaners Brake clean

brake and contact cleaner

for lubricating cables, foot pegs, etc.

Powerful, non-chlorinated degreaser. For brake discs, clutches, metallic parts, electronic contacts and spark plugs.

Leaves surfaces clean and dry.

400ml

Parts clean

quick drying cleaner Cleaning of mechanical parts & systems. Quick evaporation for a stainless finish. 840ml

Cooling Down

MOCOOL

Concentrate - pour straight in

Run your bike up to 15 degrees celcius COOLER! Designed to be used with pure water at a dilution of 5% (20:1), or mix with your coolant at 5% of volume

Improves heat transfer

- * Increases performance
- * Reduces corrosion
- * Compatible with coolants 500ml





Inugel Expert:

Has Organic/non-organic technology provides an excellent thermal exchange which therefore improves engine cooling efficiency. Protects the entire cooling system against corrosion.

135c - 275f

1L

PROTI	INUGEL Expert Ultra	
T°C /T°F	T°C /T°F	%
-22°C / -8°F	+132°C/+269°F	33%
-30°C / -22°F	+134°C/+273°F	40%
-41°C/-42°F	+136°C/+277°F	50%
-54°C/-65°F	+139°C/+282°F	60%

Reinforced Organic Technology MOTOCOOL Factory Line

alloy protection

Motocool's Organic + formulation ensures exceptional protection for the latest aluminium and magnesium alloys. An extremely high boiling point (136 degrees C/227 degrees F) for greater power.



Concentrate

Hybrid technology that can be mixed at 33% for outstanding value and protection. Compatible with all cooling fluids.

1L





Interpretation and Construction

Interpretation and Construction

1D efinitions

(a) In these Terms of Trade, unless the context requires otherwise, the following words have their corresponding meanings: "Seller" means Cykel Products Australia and includes its agents, employees, successors in title and permitted assigns. "Customer" means any person, firm, company or other entity that has requested the supply of goods and/or services from Seller as stated on any order, invoice or document and includes its employees, agents, successors in title and permitted assigns.

(b) "goods" means any goods available for sale to the Customer by Seller, at the Customer's request. "Intellectual Property" means all processes, procedures, methodologies, methods, or the property of the processes, procedures, methodologies, methods, or the processes of the processes of the processes.

request. "Intellectual Property" means all processes, procedures, methodologies, methods, techniques and/or inventions whether registered trademarks, designs, patents or not registered (c) "Order" means any order made by the Customer for the supply of goods and/or services from Seller."Quotation" means any quotation issued by Seller to the Customer for the supply of goods and/or services."Price" means the price payable by the Customer for the supply of goods and/or services in accordance with clause 4 of these Terms.

(d) "services" means any services to be provided by Seller to the Customer, at the Customer's request.

request.

(e) "Terms" means these terms of trade which apply to any agreement for the supply of goods and/or services between Seller and the Customer, as amended from time to time.

12 Construction
(a) A reference to these terms or another agreement includes any variation or replacement of it; (b) A reference to a statute, ordinance, code or other law includes regulations and other instruments under it and consolidations, amendments, re-enactments or replacements of any of them; (c) The singular includes the plural and vice versa;

(d) The masculine includes the feminine and neuter and vice versa

(e) A reference to a person includes a reference to the person's executors, administrators, suc-

(e) A reference to a person includes a reference to the person's executors, administrators, suc-cessors, substitutes and permitted assigns; (f) An obligation, agreement, representation or warranty on the part of or in favour of two or more persons binds, and/or is for the benefit of them jointly and severally; (g) A reference to anything (including, without limitation, any amount) is a reference to the whole or any part of it; and (h) References to parties or clauses are, unless otherwise provided, references to the parties and clauses containing in these Terms.

in nerrenices to parties or clauses are, times orderwise provious, retrievices to the parties and clauses contained in these Terms.

2 Supply of Goods and/or Services
21 Seller may issue a Quotation upon the Customer's request for the supply of goods and/or services or Seller may accept an Order from the Customer for the supply of goods and/or services.

22 Seller may refuse to sell the goods (whether or not part of a contract has been performed) where the goods are unavailable for any reason whatsoever, a non-complying order is received or the Customer has defaulted under Seller's terms of credit. All Quotations are an estimate only and are subject to withdrawal, correction or alteration at any time prior to Seller's acceptance of the ustomer's order.

2.3 Unless otherwise stated, any Quotation issued by Seller remains open for acceptance from the time stated on the Quotation and where no time is stated, for 30 days unless withdrawn earlier 2.4 Seller is entitled to terminate any Order at any time without cause, in Seller's absolute and

24 serier's stituted to terminate any other at any unite windout cause, in serier's austicities undirectived discretefoin.

25 An Order for the supply of goods and/or services shall identify the goods or services ordered, the quantity required and refer to any Quotation pursuant to which the order is made.

26 All drawings, specifications, or descriptions provided by Seller with respect to goods and/or services including but not limited to weights, dimensions, or performance or other attributes are approximate only and do not form part of any agreement and any error in such descriptions do not void the agreement between Seller and the Customer and do not give rise to any claim.

2.7 Seller may specify a minimum order value and impose a surcharge should the Customer place an Order for goods and/or services value less than the minimum order value.

Order for goods and/or services value less than the minimum order value.

28 Seller may supply goods that vary from the goods and/or services ordered by the Customer and the Customer must accept the goods and/or services supplied by Seller provided that any such variations are not material. Any variation of an Order, as requested by the Customer, must be agreed in writing by Seller, in Seller's absolute discretion.

23 Seller reserves the right, whether or not an Order has been accepted and without notice to the Customer to withhold supply to the Customer to withhold supply to the Customer and will not be fable for loss or damage resulting directly or indirectly from such action where Seller has: (alinsufficient goods to fulfill the order; (b)the goods ordered has been discontinued; and/orl(Seller has determined, in its absolute discretion that credit should no longer be extended to the Customer.

3 Acceptance
3.1 The Customer warrants that it has the power to enter into this agreement, is solvent and able to pay its debts as and when they fall due, this agreement creates a binding and legiologiation and all information provided to Seller by the Customer is true and correct in all material respects.

3.2 The Customer agrees that it upon receiving a Quotation or making an Order for the supply of goods and/or services, these Terms apply and the Customer accepts the Terms without amendment

goods and/or services, these Terms apply and the Customer accepts the Terms without amendment and agrees to be bound by these Terms.

3.3 The Customer agrees that the Terms apply over any other document or agreement between the parties to the extent of any inconsistency.

3.4 If the Customer accepts the Quotation or places an Order as trustee of a Customer then in addition to that entity the trustee agrees to bind all frusts of which the entity is a trustee.

4 Payment, Credit and Price

4. The Price shall be the Price as determined by Seller in its absolute discretion as follows:

(a) the price in accordance with the Quotation issued by Seller to the Customer;

(b) the price of any invoices provided by Seller to the Customer;

(c) the Price as at the date of delivery in accordance with Seller's current price list.

(c) the Price as at the date of delivery in accordance with Seller's current price list.

2 Unless stated otherwise, the Price is taken to be exclusive of goods and services tax ("GST").

4.3 The Customer agrees that GST at the prevailing rate at the date of invoice will be included in the amount due and payable on the Price and is payable by the Customer infull at the same time as payment of the Price. The Customer must also pay any other taxes or duties that may be applicable in addition to the Price, unless such duties or taxes are expressly included in the Price.

4.4 All amounts and prices stated on the Guotation are those at the date of the Guotation. If the Customer requires any variation which affects the cost or rates for insurance, freight, cartage or shipping expenses, duties, exchange rates, sorting and stacking costs, costs of materials or any other amounts used to calculate the price or amounts stated on the Guotation or if those inputs increase in cost before acceptance of during the agreement, any increase in those amounts shall be added to the Customer's account and the Customer shall be liable for the increase in Price.

4.5 If the specifications, drawings or particulars for the goods and/or services are provided by the Customer, and the price provided in any Quotation is addusted on the unit price as particularised on are required, the price provided in any Quotation is addusted on the unit price as particularised on

are required, the price provided in any Quotation is adjusted on the unit price as particularised on the Quotation, or otherwise as Seller shall reasonably determine having regard to the usual price

contained on Seller's current price list at the time of the Quotation.

4.6 Unless stated otherwise, time for payment is of the essence and will be payable as nominated

by Seller.

(a) on or before delivery of the goods or provision of services;
(b) the date specified on the invoice as being the date for payment;
(c) the date which is 7 days following the date of any invoice provided to the Customer by Seller.
(d) by way of instalments as per an agreed payment schedule; or
(e) 7 days following the end of the month in which a statement is provided to the Customer.
4.7 Payment must be made by cash,personal cheque,company cheque,electronic funds transfer,credit card or by any other payment method nominated by Seller from time to time.
4.8 Seller may charge a fee for overdue payments in accordance with clause 5 or may charge to the Customer bank fees imposed on payments including credit card payments.
4.9 Seller may, in its absolute discretion, supply the goods and/or services on credit to the Customer acknowledges and agrees that any credit in which case these Terms shall annly and the Customer acknowledges and agrees that any credit

4.9 Seller may, in its absolute discretion, supply the goods and/or services on credit to the Customer in which case these Terms shall apply and the Customer acknowledges and agrees that any credit provided to the Customer by Seller is to be applied wholly or predominantly for commercial purposes. 4.10 The grant of any credit final is in the absolute discretion of Seller. Seller may vary and/or withdraw any credit facility at any time and without any liability to the Customer or any other party.
4.11 The Customer shall not deduct any sum from the amount due on any invoice or statement for any reason whatsoever.
5 Unpaid Invoices, Interest and Costs
5.11 invoices or monies outstanding are not paid in full by the due date for payment, Seller may charge the Customer interest on the unpaid amount to be accrued daily from the date when payment becomes draw with the accrued the payment.

becomes due until the date of payment at the rate of two and a half percent (2.5%) per calendar month and interest shall compound at that rate both before and after any judgment obtained by Seller.

month and interest shall compound at that rate both before and after any judgment obtained by Seller. 52 The Customer is not entitled to set off, deduct or otherwise withhold payment of any amount due and owing to Seller including in circumstances where the Customer has disputed the invoice or alleged amounts are owed or will become owing by Seller to the Customer.

5.3 The Customer is liable with respect of all costs and disbursements incurred by Seller or its agents in recovering payment of any outstanding invoice or in enforcing its rights under these Terms, including, but not limited to, legal costs determined on a solicitor/lown client basis, internal administration fee, mercantile agents costs and bank dishonour fee.

5.4 Seller is enfolded to retain any goods or other documents held on the Customer's behalf pending payment of any outstanding monies. If Seller has in its possession goods belonging to the Customer for repair or modification, pending payment of any outstanding monies, Seller shall have a lien on the goods and have the right to retain or sell the good, in accordance with laws relating to the sale or disposal of uncollected goods and the lien shall continue in force notwithstanding Seller commencing legal proceeding or obtaining judgment as against the Customer for recovery of outstanding monies.

6 Title
6.1 Until Seller receives full payment in cleared funds of all monies outstanding for all goods and/or

service supplied by it to the Customer, as well as all other amounts owing to Seller by the Customer and the Customer has complied with its obligations in full pursuant to these Terms: (a) title and property in all goods vest is no Seller and does not pasts to the Customer; (b) the Customer must hold the goods as fiduciary bailee and agent for Seller and must return the goods, including goods in transit which have not yet been delivered, to the Customer upon Seller's request: (c) the Customer holds the benefit of its insurance of the goods on trust for Seller and must pay to Seller the proceeds of insurance in the event the goods are lost, destroyed or damaged; (d) the Customer must not charge or otherwise grant an interest over the goods while they remain

(e) the Customer must not convert, process or otherwise comingle the goods but if the Customer does so, then it holds the comingled good on trust for the benefit of Seller and must sell or dispose of the comingled good to Seller, on the direction of Seller;

or me commigled good to Seller, on the direction of Seller; (If the Customer may sell or dispose of the goods only in the ordinary course of business in its capacity as agent for Seller and if the Customer sells or disposes of the goods then the Customer must hold the proceeds on trust for Seller and deliver up the proceeds to Seller on demand; (g) the Customer must hold the proceeds of sale of the goods on trust for Seller in a separate account with a bank to who the Customer has not given security however failure to do so will not

affect the Customer's obligation as trustee; and

affect the Customer's obligation as trustee; and
(I) Seller may without notice, enter any premises where it suspects the goods are and recover
possession of the goods, notwithstanding that they may have been attached to other goods not
the property of Seller, and for the purpose the Customer irrevocably licences Seller to enter such
premises and indemnifies Seller from and against all costs, claims, demands, or actions by any
party raking from such action;
2.9 Seller is entitled to commence legal proceedings to recover any outstanding monies from the
Customer regardless of ownership of the goods.

Risk and insurance

7.1 The risk in goods shall pass to the Customer upon pick up of the goods from Seller's premis immediately upon dispatch from Seller to the Customer nominated address or otherwise on the where Seller shall store or arrange storage on behalf of the Customer.

7.2 The Customer shall insure the goods against loss or damage on or before delivery. The Customer is

liable for any such insurance and must maintain at its own cost a policy of insurance with a reputable

nauur tor any suor insurance and must maintain at its own cost a policy of insurance with a reputable Australian insure to cover all risks which may reasonably arise.

7.3 Notwithstanding the passing of risk, all goods delivered by Seller to the Customer remain the property of Seller until all goods supplied by Seller to the Customer have been paid for in full. If the goods are lost, damaged or destroyed after delivery but prior to ownership passing to the Customer pursuant to clause 6, Seller is entitled to receive all insurance proceeds payable for the goods.

8 Delivery

8. 1 Seller accepts no responsibility or duty to deliver but may elect to arrange delivery at its discretion and without liability and the Customer's cost and risk in all things and if the goods are to be delivered, Seller shall deliver the goods to the address nominated by the Customer and:

(a) the Customer shall pay all reight and other charges associated with the delivery and delivery may be made in installments in Seller's discretion;

(b) the Customer must take delivery of the goods whenever the goods are tendered for delivery; (c) the Customer must take delivery of the goods whenever the agreed place and time for delivery. If

(b) the Customer must take delivery of the goods whenever the goods are tendered for delivery, (c) the Customer by its representative shall be present at the agreed place and time for delivery, if not present, Seller may unload the goods at that place and in which case the goods will be at the sole risk of the Customer and Seller will not be responsible for any claims, costs or losses arising; (d) Seller does not represent that the goods will be available on that date and any date given for delivery is an estimate only and in the event that Seller is unable to deliver the goods on that date, it shall not be liable for any loss including consequential loss) for any failure or a delay in delivery. Seller is not liable for any amount payable by the Customer to a third party as a result of a failure or delay in delivery by Seller due to any cause whatsoever; and (e) Seller may charge the Customer for frustrated delivery including where the Customer is unable to take delivery of the goods as arranged for an amount equal to Seller's reasonable costs. 2A lith the goods shall be paid for prior to delivery, irrespective of whether delivery is a part of the Price. In Seller's discretion, the cost of delivery may be included in the Price or may be charged in addition to the Price.

addition to the Price.

9.1 Except to the extent permitted by law, Seller does not provide any warranty in relation to any 9.1 Except to the extent permitted by law, Seller does not provide any warranty in relation to any goods. The only warranties in relation to the goods are warranties provided by the manufacturer and not Seller and to the extent that the rights in any manufacturer's warranties are required to be assigned to the Customer, the manufacturer warranties are assigned and tile of those warranties passes with the goods in accordance with clause 6 of these Terms. Seller shall not be liable to the extent that any manufacturer is bilable under a manufacturer's warranty, unless required by law.
9.2 Seller expressly denies and excludes any warranties or conditions which would otherwise be implied to the maximum extent possible by law including but not limited to merchantable quality, with ability, fitness of purpose, quality, suitability, or otherwise. Seller acknowledges that these Terms do not exclude any statutory warranties which may be implied pursuant to the Competition and Consum Act 2010 (Cthl) and if the Customer is a consumer pursuant to this Act, then Seller's liability is limited as movided for in that Act. rovided for in that Act.

as provided for in that Act.

9.3 The Customer acknowledges and agrees that:
(a) the Customer schwolvedges and expertise in selecting the goods for any purpose and any advice or assistance given by or on behalf of Seller shall be accepted at the Customer's risk and shall not be deemed to have been given as an expert or adviser nor to have consider on but the Customer; and

Customer's risk and shall and de deemed to have been given as an expert or adviser nor to nave been relied on by the Customer, and (b) Seller shall not be liable nor responsible for any failure to comply with any requirements of the Customer or any other person (whether relating to manufacture, design, fabrication, installation and/or any other particulars provided with respect to the intended use of any Goods or otherwise) which are not precisely and accurately communicated in writing to Seller prior to agreement for supply of goods and/or services, and

Defects, Return of Goods and Cancellations

pect the goods im nediately upon delivery and carry out any tests which a ent Customer would carry out.

10.2 All claims for credit for damaged, defective or short delivered goods or for goods to be returned must be notified to Seller immediately. The Customer shall give written notice to Seller of any alleged defect, damage, fault, irregularity, shortage of quantity, failure to comply with description or quotation

detect, damage, fault, irregulanty, shortage of quantry, faulure to compty with description or quotation in the goods within T business days from the date of delivery.

10.3 if the Customer does not provide written notice to Seller in accordance with clause 10.2, the Customer shall be deemed to have accepted the goods and the Customer is not entitled to reject the goods or claim any remedy whatsoever (including but not limited to damages) against Seller.

10.4 Seller will not accept claims that are not notified within 7 business days of delivery.

10.5 Returns of defective goods.

(a) The goods must be returned, at the cost of the Customer, to Seller premises from where they were purchased and in their original packaging (if applicable) in a similar condition to the condition of the nonds not reference.

of the goods on delivery; (b) If goods are not returned after fourteen (14) days of the written notice of the claim to Seller, at

to In goods are not externine after noticent 194 easy of the wither induce of an ite claim to sener, at the Gustomer's cost, then the Gustomer's cost in the Gustomer's cost in the Gustomer's cost in the Gustomer's cost in the Gustomer's representative has inspected the goods on which the credit is claimed and agrees that the goods are defective. Until this inspection, the Gustomer is responsible for maintaining proper care of the goods and if this does not occur, Seller reserves its rights not to accept claims for damaged or different manager of green goods with the Gustomer's cost of the Gustomer'

goods and in its use in checking the reserves its rights not to accept claims for baileged or defective goods or for goods returned; (id) Subject to the Competition and Consumer Act 2010 (1cth), Seller is not liable for defective goods where the defect or damage was caused or partially caused by the Customer failing to properly maintain or store the goods, using the goods for a purpose other than what the good were design, the continuing use of the goods after the defect became apparent to should have been apparent a reasonably prudent user of the goods, failure to follow any directions or instructions in relation the goods provided by Seller or by fair wear and tear, accident or any event of force majeure; (e) Notwithstanding anything contained in this clause 10, if Seller is required by law to accept a cuttum than Sellar will secant the return of nodes on the conditions improved by law. eturn, then Seller will accept the return of goods on the conditions imposed by law

10.6 Cancellations.

(a) Seller may cancel any contract to which these Terms apply or cancel delivery of goods at any time before the goods are delivered by providing written notice to the Customer. Seller shall repay the Customer any money paid by the Customer and Seller is not liable for any loss or damages in any respect arising from any cancellation.

(b) If the Customer cancels a delivery of goods, it remains liable and shall indemnify and keep indemnified Seller for any and all loss is suffered whether direct or indirect) by Seller as a direct result of the cancellation (including but not limited to loss of profits).

(D) Z Seller is not required to accept the return of non defective goods or to provide a refund however, Seller may do so in its absolute discretion and if Seller does not agree then the Customer shall not be entitled to cancel the whole or part of any Order and the Customer shall indemnify Seller against loss or damage suffered by Seller. If non-defective goods are returned for credit and the return is accepted by Seller, in Seller's absolute discretion, Seller may impose a re-stocking fee of an amount equivalent to 20% of the credit claimed in addition to any freight costs. 20% of the credit claimed in addition to any freight costs.

11 Release and Indemnity
11.1 The Customer hereby releases and indemnifies and agrees to keep Seller indemnified from any 11.1 The Customer hereby releases and indemnthes and agrees to keep Seller meammine troin any and all costs, damages, liabilities, expenses or losses including indirect, consequential losses (including but not limited to loss of profit), that Seller may incur in relation to the Customer or any third party, where the cost, damage, liability, expense or loss is caused by or contributed to by the goods supplied or services performed, any defect or fault in workmanship or design or their use, a breach of these Terms or for any other reason whatsoever.

12 Limitation of Liability

12.1 The Customer agrees, to the fullest extent possible by law, in relation to any cost, damage, liability, expense or loss (including those contributed or cause by Seller's negligence or breach of any condition or varranty):

condition or warranty):

(a) if the Customer is not a consumer pursuant to the Competition and Consumer Act 2010 (Cth), to limit any claim made to Seller, in Seller's absolute discretion to: (i) the value of any express warranty provided by Seller to the Customer or any warranty to which

(ii) replacement of the goods or services and/or the supply of equivalent goods;

(iii) repair of the goods;(iv) repay the purchase price in the event that the payment has been received from the Customer;

or
(v) payment of the cost of replacing, repairing or acquiring equivalent goods;
(b) if Seller is required to replace the goods pursuant to the Competition and Consumer Act 2010
(Cth) but cannot do so for any reason whatsoever, Seller may refund the Price, if the Price has been easily but Contemps. aid by the Cust

(c) Seller shall not be liable for any loss or expense arising after seven (7) days from the date of delivery (or at all once goods have been unpacked, affixed and/or otherwise used or applied) af

delivery (or at all once goods have been unpacked, affixed and/or otherwise used or applied) after which the Customer is deemed to have accepted the goods in their present state; (d) Seller shall not be liable for any damages for personal injury or death, any damage to property and/or any contingent, consequential, direct, indirect, special or punitive damages whether due to negligent act or omission of Seller or its employees or agents or otherwise and the Customer acknowledges this limitation of liability and agrees to limit any claim accordingly; and (e) no other term, condition, agreement, varranty, representation and/or understanding whether express or implied, in any extending to, otherwise relating to or binding upon Seller other than these Terms is made or given by or on behalf of Seller.

122 Seller shall not be liable to the Customer for any loss or damage to any persons or property for death or injury caused by any actual omission (including negligent acts or omissions) of Seller 23. Notwintshanding clause 21. and clause 122, a Customer shall not be entitled to make any claim upon Seller whatsoever if any amounts are outstanding from the Customer to Seller.

13 Intellectual Property Rights

wledges and agrees that it does not have any intellectual property rights in 13.1 The Customer acknowledges and agrees that it does not have any intellectual property rights in the goods and that all rights that Seller holds in the intellectual property associated with the goods supplied and has the right to use the intellectual property in the goods including where Seller has developed or designed the goods for the Customer, remain the property of Seller.
13.2 The Customer acknowledges that all designs or other specifications or particulars provided by it with respect to the goods will not cause Seller to infringe any intellectual property right in provision of the goods and/or services and the Customer indemnifies Seller against any action taken by a third

party against Seller with respect to any infringement relating to such design or specifications.

14 Security
14.1 In order to secure the performance by the Customer of its obligations under these Terms, the
Customer, and where the Customer is unincorporated each proprietor of the Customer, hereby charges
with payment of the moneys and compliance with all obligations owed by the Customer to Seller all
beneficial interests (freehold and leasehold) in real and personal property held now or in the future by
the Customer or proprietor.
14.2 The Customer, and where applicable, each proprietor agrees that if demand is made upon it, him
or her by Seller, the Customer or, if applicable, that proprietor will immediately execute a consent
to caveat, or a caveat or mortgage, as required by Seller to secure the obligations pursuant to this
clause 14.

14.3 The Customer indemnifies Seller in relation to all of its costs and dishursements including legal costs on a solicitor and own client basis incurred in exercising Seller's right pursuant to this clause t 14.4 The Customer or, if applicable, that proprietor irrevocably and by way of security appoints Seller and any director, credit manager or solicitor engaged by Seller to be its, his or her true and lawful attorney to give effect to this clause 14 including but not limited to execute and register all documents

15 PPSA

15.1 Defined terms in this clause 15 have the same meaning as given to them in the Personal Prope Securities Act 2009 (Cth) ("PPSR")

15.2 Seller and the Customer acknowledge that this agreement constitutes a Security Agreement constitutes a Purchase Money Security Interest (PMSI) in favour of Seller over the goods supplied to be supplied to the Customer, as Grantor, pursuant to these Terms.

15.3 Seller and the Customer acknowledge that Seller, as Secured Party, is entitled to register its interest in the goods supplied or to be supplied to the Customer, as Grantor, under this agreement on the Personal Properties Securities Register as collateral by registering a financing statement of financine change statement.

ing change statement. nnancing change statement.

15.4 The Customer expressly waives its right to receive notification of or a copy of any verification.

15.4 The Customer expressly waives its right to receive notification of or a copy of any verification statement with respect to the registration of a financing statement or a financing change statement relating to a security interest granted by the Customer to Seller.

15.5 The Customer agrees to indemnify Seller on demand for all costs and expenses, including legal costs and expenses on a solicitor / client basis, associated with the following(a) registration, amendment or discharge of any financing statement registered by or on behalf of Seller, and(b) enforcement or attempted enforcement of a security interest granted to Seller by the Customer.

15.6 If the Customer is in default of its obligations and Seller takes possession of any goods pursuant to its security interest, the Customer remains liable for the difference between the market value of the goods at the time they are sold by Seller and the amount of the Customer's obligations for which it is in default.

in default. 15.7 The Customer agrees and undertakes to immediately notify Seller of any change to its name

address or personal details and authorises Seller to register a financing change statement without

prior consent of the Customer.

15.8 The Customer agrees and undertakes not to agree, encourage or in any way allow another person or entity to register a financing statement without the prior written consent of Seller and the Customer shall provide written notice to Seller upon becoming aware that of any other person or entity are taking steps to register a security interest with respect to the Customer.

15.9 The Customer agrees that to the maximum extent permitted by law, sections 130, 142 and 143 of the PFSA will not apply.

15.10 The Customer agrees, to the extent possible under law permitted by law to waive the following rights under the PPSA:

in the unit of Fram. (a) receipt of a verification statement pursuant to section 157 and a statement of account where there is no disposal pursuant to section 130(4) or pursuant to section 132 where there is a disposal, (b) to recover any proceeds pursuant to section 140;

(c) to object to the purchase of the collateral by the secured party pursuant to section 129;

(c) to object to the purchase of the collateral by the secured party pursuant to section 123; (d) to receive notice of an intention to seize collateral pursuant to section 130; (e) to receive notice of disposal of collateral pursuant to section 130. (f) to receive notice of retention of Collateral pursuant to section 134 or to object to that notice pursuant to section 137; (g) to redeem Collateral pursuant to section 142; (h) to redeem Collateral pursuant to section 142; (i) to receive a security agreement pursuant to section 143; (i) to receive a notice of removal of accession under section 95; and (i) any other right in favour of the Costomer that can be lawfully contracted out of pursuant to section 115 of the PPSA which shall not apply to these Terms or any security.

ent of Debt

16.1 A certificate signed by a director, secretary, financial controller, credit manager or any other authorised person of Seller shall be prima facie evidence of the indebtedness of the Customer to 17 Privacy and Credit Information

17.1 The Customer irrevocably authorises Seller and its servants, agents or employees to make such enquiries and or exchange information in relation to the Customer from time to time as Seller may enquiries and or exchangle information in relation to the Customer from time to time as Sellef may deem necessary including enquiries with persons nominated as trade references, bankers of the Customer, any other credit provider, any credit reporting agency, any government department, Australian Securities & Investments Commission, Australian Financial Security Authority and/or any similar body or related information services ("Information Provider") and including any personal credit and consumer credit information and any property, business or solvency information for the following purposes: (a) to obtain information on the credit position of the Customer including with respect to providers of credit to the Customer;

(b) to investigate the credit worthiness of the Customer in relation to the credit to be provided by

(c) to notify credit provider of a default by the Customer;

(d) provide credit information in relation to the Customer to a credit reporting agency to obtain a credit report or to permit the credit reporting agency to maintain or update a credit file with respect to the Customer.

to the Customer.

17.2 The Customer acknowledges that the information exchanged may include any information in relation to the Customer acknowledges that the information exchanged may include any information in relation to the Customer of creditworthiness or history and the Customer in treir possession and the Customer and the siccious environmation it has about the Customer to any interested person, subject to any obligations of Seller may have under the Privacy Act 1988 (Cthl.)

17.3 The Customer consents to Seller using any personal or other information which Seller holds on in relation to the Customer for the purposes specified in clause 17.1.

17.4 Seller shall collect and use any personal information as defined in the Privacy Act 1988 (Cthl) for the purposes referred to in this clause 17 which the Customer agrees may include but is not limited to investigating the Customer's creditivorthiness with respect to the supply of goods, marketing purposes of the allow Seller, to operate, and second for the Customer and questioning amounts to he procured for the Included to the procured relation and the proposer and the procured relations.

or to allow Seller to operate an account for the Customer and outstanding amounts to be recovered m the Customer in relation to the supply of the goods and/or services.

17.5 The Customer agrees to the maximum extent permissible by law to waive all rights pursuant to the Privacy Act 1988 (Cth) and consent to the collection, storage and provision of information by Seller

18 Default
18.1 Without prejudice to any other remedies available to Seller, if the Customer becomes insolvent
or appoints an administrator, receiver, receiver and manager, liquidator or trustee in bankruptcy or is
in breach of any these Terms (including term for payment), all monies become immediately due and
owing to Seller and Seller may immediately:
(a) terminate or suspend supply of goods and/or services;
(b) retain all monies paid and/or take immediate possession of goods which have not been paid for;

(c) cease all tuture deliveries; (d) cancel all or any part of any order unfilled; and/or (e) recover from the Customer any loss of profits arising as a result of the default of the Customer. IR2 If Seller exercises its rights pursuant to clause 11.1, it is not liable to the Customer for any consequential loss or damages suffered by the Customer.

quential loss or using a summary of the form of the fo

ment including change of director, shareholder, partnership, trusteeship or management or its details (including changes to name, address or contact details). The Customer agrees that if it fails to comply vith this clause 20, it is liable and shall indemnify Seller for any resulting loss suffered by Se

21 Miscellaneous
2.1 Miscellaneous
2.1 Notices. A notice, demand, wavier, approval or other document given or required to be given
pursuant to these Terms must be in writing and may be given to the recipient by way of personal
service, prepaid post, facsimile transmission or email transmission at the address of the party as
serviced from time to time.

service, prepara post, itacismine transmission of eniant ransmission at the aduress of the party as provided from time to time.

21.2 Severance. In the event that any term or provision or part of a term or provision or these cannot be given effect or is declared void for any reason then the term or provision or part which cannot be given effect or is declared void for any reason then the term or provision or part which cannot be given effect shall be severed and read down restrictively and the remaining terms and provi-sions shall remain valid, binding and enforceable on the parties in all respects.

21.3 Waiver. No rights under these Terms will be waived unless agreed in writing and signed by Seller. Seller does not waive a right if an extension or other forbearance is given to the Customer. No waiver of a term or provision of these Terms shall be construed as a continuing waiver of the term or provision. A waiver, ho Sallor of any matter days on requiring air pricing in greater of any matter. Any

provision. A wavier by Seller of any matter does not prejudice its rights in respect of any matter. Any non-exercise or partial exercise of or any delay in exercising any right or remedy does not constitute a

non-exercise or partial exercise of or any delay in exercising any right or remedy does not constitute a wavier of that right or remedy. 21.4 Variation. All goods and/or services sold by Seller are sold and supplied on these Terms, as amended from time to time by Seller in its absolute discretion or otherwise agreed by Seller in writing. The Customer agrees that it shall be deemed to have notice of change to these terms and be bound by any subsequent versions of the terms as they appear on Seller's website from time to time, whether or not the Customer has actual notice of any variation. 21.5 Assignment. The Customer is not entitled to assign the benefits or obligations under this agree-ment to any entity without Seller's prior written consent, which may be given in Seller's absolute discretion. Seller may assign all or any part of the henefits and obligations under this agreement without the requirement for the Customer's consent.

21.6 Jurisdiction. The provisions of these Terms and any contract between Seller and the Customer shall be governed by the laws of State where Seller has its principal place of business and each party irrevocably submits to the non-exclusive jurisdiction of the courts of the said state.

21.7 Entire Agreement. These terms supersede all previous agreements, discussions and representations between Seller and the Customer and constitute the entire agreement in relation to the agreement for provision of goods and/or services between Seller and the Gustelman Water respondence, negotiations or representations do not bind either party and either party is not entitled to rely upon them.



QUALITY MOTORCYCLE PARTS AND ACCESSORIES

FOR ORDERS PLEASE

PHONE: (03) 9729 4888

OR

FAX: (03) 9729 4322

OR ORDER ONLINE @

www.cykel.com.au

30 CORPORATE BOULEVARD, BAYSWATER, VICTORIA 3153, AUSTRALIA.

Fax: (03) 9729 8053 (admin)

sales@cykel.com.au, accounts@cykel.com.au, admin@cykel.com.au

DISCLAIMER

Every effort has been made to ensure that the information contained in this catalogue is correct at the time of printing, however, CYKEL PRODUCTS AUSTRALIA and its director, employees and agents cannot accept any responsibility for errors which may occur.

	CONTENTS	2020-21		CONTENTS	2020-21
Α	ACCESSORIES	34-41		CYKEL TRADING TERMS	4
	AIR FILTERS - BMC & HIFLOFILTRO	LINK	D	DEGREASER	LINK
	AIR FILTER SHEET	38		DIRT BAG	38
	AIR FILTER SKINS	36		DISC LOCK REMINDER	39
	AIR VALVE PULLER	28		DRY BAG - PHONE	41
	ANTI SPLATTER GUARD	30	E	ELECTRICAL	49-50
	≭ariete	LINK		EXHAUST PLUGS	35
	APPLICATION GUIDE	95-124		EXHAUST SPRINGS	42
	ARROW EXHAUSTS	LINK	F	FACTORY RACING STICKERS	23
	ATV TYRES	24-25		FAIRINGS	74
	AXLE PULLER	39		FENDER ELIMINATOR	37
	AXLE SPANNER	29		FERODO BE BRAKES	LINK
В	BATTERIES - MOTOCELL	LINK		FLASHER RELAYS	49-50
	BATTERIES - ROADSTAR	LINK		FLIP UP VISOR	38
	BATTERY CHARGER	LINK		FLY WHEEL DRIVE PULLER/KIT	29
	BEAD BREAKER	11		FOOTPEGS	57
	BEAD BUDDY TYRE TOOL	28		FORK BOOTS	34
	BEARINGS - MAIN/STEERING/WHEEL	LINK		FORK CAP WRENCH	29
	BEARING WORX BEARINGS & KITS	LINK		FORK OIL LEVEL TOOL	29
	BIKE RAMPS	9		FORK SEALS	LINK
	BIKE STANDS	10, 12-13		FUEL CAP	37
	BIKE WASH	LINK		FUEL FILTER	36
	AIR FILTERS	LINK		FUEL FUNNEL	30
	BOLT KITS	29		FUEL LINE	36
	BOOT COVERS	40		FUEL LINE COUPLER	36
	BRAKE BLEEDER HOSE KIT	29		FUEL TANK CAP/BREATHER HOSE	37
	BRAKE CLEAN	LINK	_	FUSE KIT	31 50.60
	BRAKE LEVERS - HONDA		G	GEAR LEVERS	58-60
	BRAKE LEVERS - KAWASAKI BRAKE LEVERS - OTHER	78-79 89		GLOBES GLOVES	50 + LINK 40 + LINK
	BRAKE LEVERS - SUZUKI	81-82		GOGGLES	40 + LINK 40 + LINK
	BRAKE LEVERS - YAMAHA	86-87		GRIPS	21-22
	BRAKE OIL BLEEDER	29		GUARDS - UNIVERSAL MINI	51
	BRAKE PADS - FERODO & STATES MX	LINK	н	HANDLEBAR ENDS	21
	BRAKE PIN	35	•	HANDLEBAR HARNESS	15
	BRAKE SWITCHES	46		HANDLEBAR CLAMP KITS	20
	BULBS	50 + LINK		HANDLEBARS	19
	BULL BAR HANDLEBARS	19		HAND WASH	LINK
	BULL BAR TIE DOWNS	15		HEADLIGHT & INSERTS/STRAPS	43
С	CABLE NIPPLE	53		HEADLIGHT SWITCHES	47-48
	CABLE OILER	29		HEAT SHIELD	42
	CABLE REPAIR KITS	53		HIFLOFILTRO AIR & OIL FILTERS	LINK
	CABLES	52-53		HORN	50
	CAM CHAIN CUTTER	26 + LINK		HOSE CLAMP KIT	31
	CAM CHAINS	LINK	1	INDICATOR - SWITCH	48
	CARBY CLEANER	LINK		INDICATOR KITS	65-67
	CARGO NET	16		INDICATORS - HONDA	67-68
	CHAIN RK	LINK		INDICATORS - KAWASAKI	68
	CHAIN ASSEMBLY TOOL	26		INDICATORS - OTHER	68
	CHAIN BREAKER	26		INDICATORS - SUZUKI	68
	CHAIN BRUSH	26		INDICATORS - YAMAHA	68
	CHAIN CLIP PLIERS	26	J	JUGS	30
	CHAIN GUIDE	33		JT SPROCKETS	LINK
	CHAIN LUBE	LINK	K	TANK PADS & ACCESSORIES	LINK
	CHAIN ROLLER	34		KICKSTARTERS	57
	CHAIN SLIDER	33		KILL BUTTONS	47
	CIRCLIP PLIERS	27	L	L & P PLATE	36
	CLEANING CLOTHS/BRUSHES	39		LA CORSA	9-14
	CLOTH TAPE	41		LEVER ASSEMBLIES	69
	CLUTCH LEVERS - HONDA	72-73		LEVER BRACKETS	90-91
	CLUTCH LEVERS - KAWASAKI	77-78		LEVERS - BULLBAR CNC FLEX	70-71
	CLUTCH LEVERS - OTHER	88		LEVERS - HONDA	72-76
	CLUTCH LEVERS - SUZUKI	80-81		LEVERS - KAWASAKI	77-79
	CLUTCH LEVERS - YAMAHA	83-84		LEVERS - OTHER	88-89
	COOLANT	LINK		LEVERS - SUZUKI	80-82
	CRUISE CONTROL	37		LEVERS - YAMAHA	82-87
	CYKEL CONTACT DETAILS	5		LOCKS	39

	CONTENTS	2020-21		CONTENTS	2020-21
	LOCK WIRE PLIERS & WIRE	27, 53		SPROCKET COMBO RATIOS	LINK
	LUGGAGE NET	16		SPROCKETS	LINK
М	MACNA	LINK		STANDS - MOTORCYCLE	10, 12-13
	MASTER CYLINDER REPAIR KITS	54		STARTER SOLENOID/BUTTON	48-49
	MEASURING JUG	30		ASIATES MIST ACCESSORIES	LINK
	MERCHANDISING MATERIAL	94		STEERING BEARINGS	LINK
	MERLIN	LINK		STICKERS - FACTORY RACING	23
	MIRRORS - HONDA	62		STICKER CARBON LOOK/ PROTECTIVE	39
	MIRRORS - KAWASAKI	62-63		STOCK & STORAGE BOXES/TUBS	94
	MIRRORS - SUZUKI	63-64		STRAPS & ASSISTS	16
	MIRRORS - UNIVERSAL/OTHER	61-62		SUMP PLUG WASHER	36
	MIRRORS - YAMAHA	64		SWINGARM ADAPTORS	13
	Mo-Tech BIKE WASH & LUBES	LINK		SWITCH - BRAKE	46
	Motocell BATTERIES	LINK		SWITCH - CLUSTER	49
	MOTORCYCLE COVER - LA CORSA	17-18		SWITCH - HEADLIGHT	45, 47
	MOTUL - RETAIL STAND	92		SWITCH - INDICATOR	48
	MOTUL MAINTENANCE LINE	2-3		SWITCH - KILL	47
	MOTUL OIL	LINK		SWITCH - LAUNCH	49
	MOTUL OIL APP GUIDE	INSIDE CVR		SWITCH - MAPPING	49
	MOTUL TECH GUIDE	INSIDE CVR & 1		SWITCH - OIL PRESSURE	49
	MUDFLAP	45		SWITCH - ON/OFF	48
Λ/	MUFFLER & PACKING	42		SWITCH - STARTER	48
N	NACHÍ BEARINGS	LINK	7	SYPHON - JIGGLE	30 44.45
	NELSON RIGG	LINK	Τ	TAIL LIGHT LENSES & ASSEMBLIES	44-45
	NUMBER PLATE BOLTS NUMBER PLATE LIGHT	37 45		TANK PADS TAPE - WOVEN	38 41
	NYLOC NUT KIT	31		T-BAR SET	29
0	OIL FILTERS	LINK		THROTTLE AID	37
	OIL MIXING BOTTLE	30		THROTTLE ASSEMBLIES	51
	OIL PITCHER	30		TIE DOWN - ASSISTS	16
	OIL PRESSURE SWITCH	49		TIE DOWN - HANDLEBAR HARNESS	15
	OIL SYRINGE	30		TIE DOWNS	15
	ON/OFF SWITCH	48		TOOL BAG - FENDER	38
	O'RING SET - METRIC	31		TOOLS	26-31
P	PARTS WASH	LINK		TOW BALL	37
	PHONE HOLDERS/CASES	40		TUBE TYRE REPAIR KIT	35
	PILLION PAL	16		TUBING KIT - SHRINKABLE	31
	PIPE GUARDS	42		TUBES - VEE RUBBER INSIDE BA	ACK COVER + LINK
	PIRELLI TYRES	CALL		TYRE BEAD/MOUNTING/BUFF WAX	55
	POLISPORT PLASTICS	LINK		TYRE GAUGE	28
	PUMPS	93		TYRE LEVER	27
a	QUICK REFERENCE GUIDE	95-124		TYRE PRESSURE GAUGE	28
R	RACING STICKERS - FACTORY	23		TYRE VALVE INSTALLER	28
	RADIATOR CAPS	38		TYRE WARMER	14
	RAMPS - BIKE	9		TYRES - ATV	24-25,INSIDE BACK CVR
	REAR BRAKE PEDAL SAVER	35		TYRES - VEE RUBBER / WANDA	INSIDE BACK COVER
	REAR WHEEL HARNESS	16	U	USB CHARGERS	41
	REAR WHEEL SPANNER	28	V	VALVE CAPS	35
	REFLECTORS - BOLT/STICK ON	34		VALVE EXTENSION	35
	REGISTRATION	45		VALVE TOOL	28
	RIM LOCK	35		Vee Rubber TUBES & TYRES	LINK
	RIM PROTECTORS	28		VISOR - FLIP UP	38
	RIM TAPES	35		ACCESSORIES	LINK
	CHAIN	LINK	W	WANDA WANDA TYRES	4-25,INSIDE BACK CVR
	ROADSTAR BATTERIES	LINK		WASTE DRAIN CANS	30
S	SHOCK & SEAL SAVER	10, 34		WHEEL BEARINGS	LINK
	SHOCK SPANNER - REAR	31		WHEEL CHOC	11
	SHOCKERS	56		WHEEL ROLLER	11
	SIDE STAND & PADS	10, 32		WHEEL WEIGHTS	55 53
	SIDE STAND PINS SKID PLATE FOAM	12-13 38		WIRE GRIP/LOCK WIRING HARNESS	53 45
	SPANNER - PLUG/REAR WHEEL	28		WORKSHOP	92-93
	SPARK PLUG - HOLDER	35		TO TROTTO	32-33
	SPARK PLUG - HOLDEN SPARK PLUG - SPANNER	26-27			
	SPOKE SPANNER	31			
	SPRING HOOK TOOL	30			
	SPROCKET BOLT SET	37			
	JJONE. 202. 02.				

Cykel Products Australia are proud to be distributors for:















BATTERIES







DISC PADS, BRAKE SHOES, CLUTCH PLATES AND CLUTCH SPRINGS







OIL AND AIR FILTERS







































TYRES AND TUBES.

drive

control





- LA CORSA ALLOY BI-FOLD ARCHED MOTORCYCLE RAMP, CONSTRUCTED OF HIGH TENSILE ALUMINIUM MAKING IT EXTREMELY LIGHT AND VERY DURABLE
- THIS LADDER TYPE RAMP IS SPECIFICALLY DESIGNED TO SUIT THE LOADING AND UNLOADING OF DIRT BIKES
- 2.25 METRES IN LENGTH, FOLDED 1.14M
- TÜV APPROVED
- LOAD RATED UP TO 335 KG

60-AR07-M0 280MM WIDE



- LA CORSA ALLOY BI-FOLD RAMP, CONSTRUCTED OF HIGH TENSILE ALUMINIUM MAKING IT EXTREMELY LIGHT AND VERY DURABLE
- THIS ANTI-SLIP GRID TYPE RAMP IS SPECIFICALLY DESIGNED TO SUIT THE LOADING AND UNLOADING OF ROAD BIKES AND ATV'S
- 280MM WIDE AND 2.25 METRES IN LENGTH, FOLDED 1.14M
- TÜV APPROVED
- LOAD RATED UP TO 335 KG

60-AR07-00 280MM WIDE



- LA CORSA ALLOY BI-FOLD RAMP, CONSTRUCTED OF HIGH TENSILE ALUMINIUM MAKING IT EXTREMELY LIGHT AND VERY DURABLE
- THIS SLAT GRID TYPE RAMP IS SPECIFICALLY DE-SIGNED TO SUIT THE LOADING AND UNLOADING OF DIRT BIKES
- 280MM WIDE AND 2.25 METRES IN LENGTH
- LOAD RATED UP TO 335 KG

60-AR17-MB



- LA CORSA ALLOY BI-FOLD RAMP, CONSTRUCTED OF HIGH TENSILE ALUMINIUM MAKING IT EXTREMELY LIGHT AND VERY DURABLE
- THIS LADDER TYPE RAMP IS SPECIFICALLY DESIGNED TO SUIT THE LOADING AND UNLOADING OF DIRT BIKES
- 230MM WIDE AND 2.25 METRES IN LENGTH
- LOAD RATED UP TO 335 KG

60-AR17-00









70-2070-00P MX STAND

POLISHED







70-3016-31 MOTOCROSS SIDE STAND TRIANGLE 310MM



160-SSAO 160-SSAP

ORANGE ALLOY POLISHED ALLOY

ADJUSTABLE SHOCK SAVER

210-285MM





70-3013-0L HEAVY DUTY WHEEL CHOCK WITH TIE DOWN POINTS 14.5KG



70-3004-00 WHEEL ROLLER. HEAVY DUTY.

CORSA





70-3037-FS STEEL FRONT STAND 1 PIECE

70-3037-T6 LOWER FORK ADAPTORS 70-3037-KH K SWIVEL ADAPTORS





70-3037-RS STEEL REAR STAND COMES WITH U SHAPE ADAPTORS 1 PIECE

70-3037-L4 L SHAPE ADAPTORS 70-3037-U4 U PICKUP ADAPTORS











70-3000-0F UNIVERSAL FRONT STAND







HEAD LIFT STAND WITH 5 PIN SIZES 13, 15, 16.5, 17 AND 18MM

HEAD LIFT PINS - SOLD SEPARATELY

 70-3021-19
 19MM

 70-3021-20
 20MM

 70-3021-21
 21MM

 70-3021-24
 24MM

 70-3021-27
 27MM





70-3210-R0
TROLLEY REAR STAND
PERFECT FOR GETTING YOUR BIKE INTO TIGHT SPOTS
OR MOVING YOUR BIKE AROUND WITHOUT A REAR
WHEEL INSTALLED

70-3001-00 L SHAPE SWING ARM ADAPTOR





LA CORSA D3 TYRE WARMER







- 3 STAGE TYRE WARMER 60°C. 80°C & 95°C
- SELECT FROM 3 TEMPERATURES,
- LED STATUS INDICATOR
- COMES WITH A CARRY BAG FOR EASY STORAGE
- 12 MONTH WARRANTY FROM DATE OF RETAIL **PURCHASE**

70-D3TW-00 120/17" FRONT 190/17" REAR

110/18" FRONT 130/18" REAR 70-D3TW-130

120/17" FRONT 70-D3TW-165

165/17" REAR



LA CORSA V5 DIGITAL TYRE WARMER

- HOT RIM TECHNOLOGY (HRT) TO HELP HEAT THE WHEEL RIMS, KEEPING YOUR TYRES WARMER FOR LONGER
- OPERATES FROM 30°C- 99°C
- REMOVABLE DIGITAL DISPLAY BOX
- DESIGNED FOR SUPERBIKE AND
- SUPER SPORT TYRES (UP TO 200 REAR)
- COMES WITH A CARRY BAG FOR EASY STORAGE
- 12 MONTH WARRANTY FROM DATE OF RETAIL PURCHASE

70-V5TW-00 120/17" FRONT 190/17" REAR





THE ULTIMATE SNAP HOOK TIE DOWNS

*100% SECURE - GUARANTEED

*LARGE 10MM SNAP HOOK WITH 18MM OPENING

*350KG WORKING LOAD PER TIE DOWN

*MAXIMUM BREAKING STRENGTH 1000KG PER STRAP

*HEAVY DUTY UV RESISTANT 35MM WEBBING

*1.9M LENGTH WITH SOFT HOOK



















144-RWH2
REAR WHEEL HARNESS
RATCHET SYSTEM STOPS TYRE BOUNCE WHILST IN TRANSIT
MUST BE USED IN CONJUNCTION WITH TIE DOWNS
FOR FRONT & REAR WHEELS








160-PP PILLION PAL RIDERS BELT WITH PASSENGER HANDLES GREAT FOR KIDS BLACK







160-LN 13" X 13" LUGGAGE NET BLACK



WATERPROOF BUKE GOVER

- Waterproof. Heat taped seams
- Breathable, minimises condensation, allows air circulation
- Lightweight
- UV Stabilised outer shell
- Soft cotton, flocked lined to protect paint
- COMPACT! Take it with you on your trip
- Snug elastic hem and quick release belly strap secures cover to the bike
- Reinforced lock slot holes for cable locks or chains



Reinforced lock slot holes for security locks and chains

104-BCL

104-BCXX

104-BCSS

104-BCSD

LARGE

XX LARGE

SCOOTER STANDARD

SCOOTER DELUXE

SUITS 600-750 SPORTS

SUITS FULL DRESS CRUISERS

SUITS MOST STANDARD SCOOTERS

SUITS LARGER SPORTS/TOUR/CRUISERS

SUITS MOST SCOOTERS, SCREEN & TOP BOX

MATCH PROPERTY OF THE PROPERTY



104-BCM
MEDIUM BIKE COVER - SUITS 250'S
WET COVER - WATERPROOF, FULL SYNTHETIC



104-BCL LARGE BIKE COVER SUITS 600-750 SPORTS WET COVER - WATERPROOF, FULL SYNTHETIC



104-BCX
X LARGE BIKE COVER SUITS LARGER SPORTS/TOUR/
CRUISERS
WET COVER - WATERPROOF, FULL SYNTHETIC



104-BCXX XX LARGE BIKE COVER - SUITS FULL DRESS CRUISERS WET COVER - WATERPROOF, FULL SYNTHETIC



104-BCSS STANDARD SCOOTER BIKE COVER WET COVER - WATERPROOF, FULL SYNTHETIC



104-BCSD
DELUXE SCOOTER BIKE COVER
SUITS MOST SCOOTERS, SCREEN & TOP BOX (ZIPS OUT)
WET COVER - WATERPROOF, FULL SYNTHETIC



134-HBTK

BLACK GRAPHITE

ALLOY T6061 'BULL BAR' TAPERED BARS WITH 'BULL BAR' PAD. KTM STYLE BEND.



134-HBMXAK BLACK GRAPHITE SILVER 134-HBMXAS

ALLOY MX HANDLEBAR WITH 'BULL BAR' PAD. JB PRO BEND.

BULL BAA

BULL BAA



134-HBMMXAK

MINI ALLOY HANDLEBAR WITH CROSSBAR PAD OFF ROAD **BLACK GRAPHITE**





136-HBMXHK **BLACK** 136-НВМХНС CHROME 4" RISE HANDLEBAR OFF ROAD

BULL BAA



BULL BAA



136-HB3 CHROME 3" RISE HANDLEBAR ROAD

136-HB4

CHROME 4" RISE HANDLEBAR ROAD

BULL BAA




BULL BAA



136-HBMMXK BLACK MINI HANDLEBAR OFF ROAD

134-HP1

HANDLBAR PAD FOR TAPER BAR" BULLBAR" HANDLEBAR PAD ROUND "BULLBAR"



TOP VIEW	
	~\\\

PART NO	DESCRIPTION	A	В	C	D	E	F
134-HBTK	T6061 HI-BEND BLACK	787	110	70	170		65
134-HBMXAK	MX ALLOY "JB" BEND GRAPHITE	802	100	85	190	310	80
134-HBMXAS	MX ALLOY "JB' BEND SILVER	805	95	95	195	310	85
134-HBMMXAK	MX MINI ALLOY BLACK	730	174	155	170	255	55
136-HB3	ROAD 3" RISE CHROME	785	100	85	145		95
136-HB4	ROAD 4" RISE CHROME	783	170	155	180		126
136-HBMXHK	MX 4" RISE BLACK	850	145	105	175	340	95
136-HBMXHC	MX 4" RISE CHROME	850	140	110	190	350	95
136-HBMMXK	MX MINI BLACK	703	135	112	120	240	94





















134-HBCK11

50MM RISE

BILLET ALLOY



134-HBGS4G GREEN 134-HBGS4K BLACK 134-HBGS4O ORANGE 134-HBGS4R RED 134-HBGS4S SILVER 134-HBGS4U BLUE ALLOY GRIPSAVERS - ROAD 30MM. HEX KEY SUPPLIED





134-HBESK BLACK 134-HBESS SILVER SMOOTH STEEL BAR ENDS - ROAD 18MM. HEX KEY SUPPLIED



134-HBEK BLACK 134-HBES SILVER 134-HBEU BLUE ALLOY KNURLED BAR ENDS - ROAD 18MM. HEX KEY SUPPLIED





130-GF FOAM ROAD GRIP OPEN END WITH PLUG LENGTH 130MM BLACK





130-GH HONDA ROAD GRIP CLOSED END LENGTH 125MM BLACK





130-GSR SUPER ROAD GRIP OPEN END WITH PLUG LENGTH 130MM BLACK





130-GSH HONDA SUPERBIKE ROAD GRIP OPEN END WITH PLUG LENGTH 125MM BLACK





130-GV 7/8" CUSTOM FOAM ROAD GRIP SUITS XV'S ETC LENGTH 145MM





130-GSB SUPERBIKE ROAD GRIP OPEN END LENGTH 120MM BLACK



130-GPWK BLACK 130-GPWP NEON PINK OFF ROAD PEE WEE GRIP FITS MOST KIDS BIKES



130-GATV 7/8" ATV GRIP CLOSED END LENGTH 125MM BLACK





160-GG20 CPR GRIP GLUE 10 X 20ML TUBES COMES IN HANDY REUSABLE BOX





130-GMXK BLACK 130-GMXO ORANGE 130-GMXR RED 130-GMXU BLUE MICRO DIAMOND GRIPS LENGTH 120MM SOLD IN PAIRS



 130-GXRE
 GREY

 130-GXRK
 BLACK

 130-GXRP
 NEON PINK

 130-GXRR
 RED

 130-GXRU
 BLUE

 130-GXRY
 YELLOW

 OFF ROAD/XR STYLE GRIP

UV RESISTANT LENGTH 118MM SOLD IN PAIRS

130-GEKC5 BLACK CARD OF 5 130-GEUC5 BLUE CARD OF 5



FOUR TEMPERATURES SELECTION WITH INTEGRATED SWITCH

SEPARATED CONTROL UNIT FROM THE GRIPS ANTI-SLIP RUBBER GRIPS PROTECTION AGAINST POLARITY INVERSION

SUITABLE FOR HANDLEBARS Ø 22 CM.





160-GHD

HEATED GRIP SET

• SELF ADHESIVE PADS THAT ARE INSTALLED UNDER GRIPS TO KEEP YOUR HANDS WARM IN COLD WEATHER

- LOW OFF HIGH
- MAXIMUM TEMPERATURE 90°C
- 12V
- 103 X 67MM
- WIRE LENGTH 870MM











172-SF01R 172-SF01W HONDA RED HONDA WHITE 172-SF03G 172-SF03W

KAWASAKI GREEN KAWASAKI WHITE











172-SF05Y 172-SF05W SUZUKI YELLOW SUZUKI WHITE 172-SF06B 172-SF06W YAMAHA BLUE YAMAHA WHITE















172-SF040 172-SF04W KTM ORANGE KTM WHITE 172-SF09W 172-SF08W APRILIA WHITE GAS GAS WHITE











172-SF07R 172-SF07W DUCATI RED DUCATI WHITE

172-SF11Y

ØZZ

SHERCO YELLOW/BLACK







172-SF02R 172-SF02W 172-SF02Y HUSQVARNA RED HUSQVARNA WHITE HUSQVARNA YELLOW

172-SF10B 172-SF10W HUSABERG BLUE & YELLOW HUSABERG WHITE

PHONE: 03 9729 4888

WANDA

PART NUMBER	DESCRIPTION
70-092-210	22-10-9
70-112-207	22-7-11
70-112-308	23-8-11
70-112-408	24-8-11
70-112-409	24-9-11
70-112-410	24-10-11
70-122-408	24-8-12
70-122-508	25-8-12
70-122-510	25-10-12



- 4ply
- Equivalent to a 6ply
- Directional 'V' angle tread pattern with wide gaps gives better traction over rough terrain
- Now delivered unbundled, no more fighting to separate and fit

PART NUMBER	DESCRIPTION
70-092-512	25-12-9
70-102-208	22-8-10
70-102-211	22-11-10
70-102-512	25-12-10

- Puncture resistant
- 4ply
- Directional tread pattern
- Aggressive design offers great traction
- Very predictable traction during acceleration and braking





WANDA

PART NUMBER	DESCRIPTION
70-122-508A	25-8-12
70-122-510A	25-10-12

- Puncture resistant
- 4ply
- Non directional tread pattern
- Top notch handling & superior traction offer a significantly smoother ride
- Additional large shoulder lugs protect rim & sidewall

PART NUMBER	DESCRIPTION
70-122-709	27-9-12
70-122-711	27-11-12

- Puncture resistant
- 6ply
- Directional tread pattern constructed specifically for side by sides & UTV's
- A directional tread pattern with lugs excels in loose to intermediate terrains able to shed mud but also roll smoothly on hard pack.
- Shoulder lugs provide extra traction while cornering and protects the sidewall in rugged terrain.

VSKIOPA.


PART NUMBER	DESCRIPTION
70-142-709R	27-9-R14
70-142-711R	27-11-R14

- Puncture resistant
- 8ply
- Non directional tread pattern
- Shoulder lugs protect rim & sidewall
- The optimal spacing and tread depth together with larger wider spaced plugs enhance the overall traction and mud clean-out
- Great for soft to hard pack conditions











TO BREAK (POSITION A)
BREAKER PIN MUST BE PERFECTLY INLINE
WITH CHAIN PIN. (TO ENSURE BREAKER PIN
LIFE, GRIND CHAIN LINK PIN BEFORE USE).

TO ASSEMBLE (POSITION A)
INVERT CHAIN BREAKER PIN AND PLACE
GUIDE BLOCK ON THE RIVETTING BOSS,
THEN WIND DOWN TO PRESS PLATE ONTO
PINS.

TO RIVET (POSITION B)
REMOVE GUIDE BLOCK, THEN USE POSITION B AND WIND DOWN UNTIL CHAIN PIN HAS FLARED. WHEN FINISHED USE PLIERS TO BACK OFF CHAIN PLATE SO AS TO RELIEVE O'RINGS.

HEAVY DUTY RIVETTING & ASSEMBLY TOOL

SPARE PIN FOR HEAVY DUTY RIVETTING & ASSEMBLY TOOL



CHAIN BREAKER & RIVETER KIT HEAVY DUTY



164-CBT CHAIN BREAKER WHALE TYPE



164-CCB2 CAM CHAIN BREAKER / ASSEMBLY TOOL



164-CCB MOTORCYCLE CHAIN CLEANING BRUSH





164-TCHA CHAIN ASSEMBLY TOOL FOR O'RING CHAIN




164-TP\$10H 10MM 'C' SERIES 164-TP\$12H 12MM 'D' SERIES SPARK PLUG SPANNER "C" & "D" PLUGS



164-TPS3W SPARK PLUG SPANNER 10MM, 12MM & 14MM "B", "C" & "D" PLUGS

ØZZ







164-TVP TYRE VALVE INSTALLER ENABLES EASY FITTING OF TUBELESS VALVES





160-VR 25MM RUBBER TUBELESS VALVE BAG OF 50



164-VT 4 WAY VALVE TOOL



164-TPG1 LOW TYRE PRESSURE GAUGE WITH KEY RING 0-9 PSI



164-TG4 TYRE GAUGE DIAL 0.5 - 4.5 BAR 6-66PSI



RACING TYRE PRESSURE GAUGE PRESSURE RELEASE BUTTON PROTECTIVE RUBBER CASE 0-30PSI









164-RWS 22MM & 27MM 164-RWS2 30MM & 32MM 164-RWS3 32MM & 39MM 164-RWS4 34MM & 41MM REAR WHEEL SPANNER








160-BBE1 160-BBJ1 BOLT KITS



FLYWHEEL PU



164-TTBS2 T BAR SET PHILLIPS & STANDARD FLAT HEAD SCREWDRIVER 6 - 8 -10 - 12 - 13 - 14MM





164-TSS REAR SHOCK SPANNER



164-TSS2 SELF ADJUSTING SHOCK SPANNER



6.9

164-TRSS ROWE SPOKE SPANNER FITS SIX NIPPLE SIZES. ORIGINAL MADE IN USA






164-HCK1 HOSE CLAMP KIT 16, 22, 25, 28, 35 & 40MM 26 PIECE



164-NNK1 NYLOC NUT KIT 4, 5, 6, 8, 10 & 12MM 146 PIECE



164-ORK METRIC O RING KIT 419 PIECE



164-FK1 CPR MINI/MED BLADE & GLASS FUSE KIT 90 PIECE





ALUMINIUM CNC SIDE STANDS

- TO SUIT KTM & HUSQVARNA
- DIRECT REPLACEMENT
- AVAILABLE IN ORANGE, BLUE & SILVER



KTM			KTM			KTM		
MODEL			MODEL			MODEL		
125EGS	98-99	160-SS3	300MXC	98-05	160-SS3	525MXC-G RACING	03-05	160-SS3
125EXC	98-07	160-SS3	300XC	17-19	160-SS4	525XC	06-07	160-SS3
125EXC	08-16	160-SS2	300XC	08-16	160-SS2	525XC-W	07	160-SS3
125XC-W	17-19	160-SS4	300XC-W	06-07	160-SS3	525XC-W	07	160-SS3
150XC	10-14	160-SS2	300XC-W	17-18	160-SS4	530EXC	08-11	160-SS2
150XC-W	17-19	160-SS4	300XC-W	08-16	160-SS2	530EXC-R	08	160-SS2
200EXC	98-07	160-SS3	300XC-W TPI	19	160-SS4	530XCR-W	08	160-SS2
200EXC	08-16	160-SS2	350EXC- F	17-20	160-SS4	530XC-W	09-11	160-SS2
200MXC	98-03	160-SS3	350EXC-F	12-16	160-SS2	HUSQVARNA		
200XC	08-09	160-SS2	350XC-F	16-19	160-SS4	MODEL		
200XC-W	06-07	160-SS3	350XC-F	11-15	160-SS2	FE250	17-20	160-SS4
200XC-W	08-16	160-SS2	350XCF-W	12-16	160-SS2	FE250	13-16	160-SS2
250 EXC- F	06-07	160-SS3	380EXC	98-02	160-SS3	FE350	13-16	160-SS2
250EGS	98-99	160-SS3	380MXC	98-00	160-SS3	FE350	17-20	160-SS4
250EXC	98-07	160-SS3	400EXC	08-16	160-SS2	FE390	10-12	160-SS2
250EXC	17-19	160-SS4	400XC-W	07	160-SS3	FE450	09-16	160-SS2
250EXC	08-16	160-SS2	400XC-W	09-10	160-SS2	FE450	17-20	160-SS4
250EXC- F	17-20	160-SS4	450EXC	99-07	160-SS3	FE501	13-16	160-SS2
250EXC-F	08-16	160-SS2	450EXC	08-16	160-SS2	FE501	17-20	160-SS4
250EXCTPI	18-20	160-SS4	450EXC- F	17-20	160-SS4	FE570	09-12	160-SS2
250MXC	98-01	160-SS3	450MXC-G RACING	03-05	160-SS3	FX350	17-20	160-SS4
250XC	08-16	160-SS2	450XC	07	160-SS3	FX450	10-11	160-SS2
250XC	18-19	160-SS4	450XC-F	16-19	160-SS4	FX450	17-20	160-SS4
250XC- F	16-19	160-SS4	450XC-F	14-15	160-SS2	TE 150	17-19	160-SS4
250XC-F	08-15	160-SS2	450XCR-W	08	160-SS2	TE 150I	20	160-SS4
250XCF-W	06-07	160-SS3	450XC-W	07	160-SS3	TE125	09-16	160-SS2
250XCF-W	08-16	160-SS2	450XC-W	09-16	160-SS2	TE250	09-16	160-SS2
250XC-W	06-07	160-SS3	500 EXC	20	160-SS4	TE250	17-19	160-SS4
250XC-W	17-18	160-SS4	500EXC	12-16	160-SS2	TE250I	18-20	160-SS4
250XC-W	08-16	160-SS2	500EXC- F	17-20	160-SS4	TE300	09-16	160-SS2
250XC-W TPI	19	160-SS4	500XC-W	12-16	160-SS2	TE300	17-19	160-SS4
300EXC	98-07	160-SS3	505XC-F	08-09	160-SS2	TE300I	18-20	160-SS4
300EXC	08-16	160-SS2	520 MXC RACING	01-02	160-SS3	TX125	17-19	160-SS4
300EXC	17-19	160-SS4	520EXC	00-01	160-SS3	TX300	17-19	160-SS4
300EXC TPI	18-20	160-SS4	525EXC	03-07	160-SS3	TX300I	20	160-SS4

CHAIN SLIDERS & GUIDES





160-SSAK BLACK ALLOY
160-SSAO ORANGE ALLOY
160-SSAP POLISHED ALLOY
ADJUSTABLE SHOCK SAVER
210-285MM



160-EP1 4 STROKE EXHAUST PLUG, LARGE 160-EP2 2 STROKE EXHAUST PLUG, SMALL 160-EP3 4 STROKE EXHAUST PLUG, MEDIUM

REST



160-CRH1 CHAIN ROLLER HONDA CRF250/450 '05



160-CRS CHAIN ROLLER SMALL 32MM DIAMETER





160-CRK1 CHAIN ROLLER KAWASAKI KXF250/450 '07



160-RR1 BOLT ON REFLECTOR 45MM DIAMETER 9MM THICK PACK OF 2



160-RR2 STICK ON REFLECTOR 90 X 35MM PACK OF 2



160-RR3 STICK ON REFLECTOR 43MM DIAMETER 9MM THICK PACK OF 2 160-RR4

STICK ON REFLECTOR - AMBER 59MM DIAMETER 9MM THICK PACK OF 2



FORK BOOTS 41 X 55 X 370MM COMES WITH CABLE TIES 160-FBMK FORK BOOTS 32 X 55 X 250MM COMES WITH CABLE TIES



160-RL160A 1.60 WIDTH 1.85 WIDTH 160-RL185A 160-RL215A 2.15 WIDTH 160-RL25A

2.50 WIDTH ALLOY RIM LOCKS





VALVE EXTENSION (SINGLE) 90° BRASS



164-TRK TUBE REPAIR KIT





12" RIM TAPES 166-RT12 14" RIM TAPES 166-RT14 15" RIM TAPES 166-RT15 16" RIM TAPES 166-RT16 17" RIM TAPES 166-RT17 166-RT18 18" RIM TAPES 19" RIM TAPES 166-RT19 21" RIM TAPES 166-RT21 RIM TAPES 20MM X 7MM. PACK OF 10





12" WIDE RIM TAPES 166-RT12W 166-RT14W 14" WIDE RIM TAPES 15" WIDE RIM TAPES 166-RT15W 16" WIDE RIM TAPES 166-RT16W 17" WIDE RIM TAPES 166-RT17W 166-RT18W 18" WIDE RIM TAPES 19" WIDE RIM TAPES 166-RT19W 166-RT21W 21" WIDE RIM TAPES RIM TAPES 30MM X 7MM. PACK OF 10



160-BPS SHORT BRAKE PIN 55MM 160-BPL LONG BRAKE PIN 72MM 160-BPK BRAKE PIN REAR KTM & HUSQVARNA



160-BPSS SHORT STAINLESS STEEL BRAKE PIN 37MM 160-BPLS LONG STAINLESS STEEL BRAKE PIN 39MM



160-BSK **BLACK** 160-BSR RFD BLUE 160-BSU REAR BRAKE PEDAL SAVER UNIVERSAL FIT, 150MM LONG



160-SPH SPARK PLUG HOLDER





160-PLP L & P REVERSABLE NUMBER PLATE (1 PIECE) 160-PLP2 L & P REVERSABLE NUMBER PLATE (PAIR)



160-DFK14 14MM 160-DFK17 17MM QUICK RELEASE BLACK ANNODISED DZUS CLIPS COMES WITH RIVETS AND BACKING PLATE PACK OF 10



160-AFS AIR FILTER SKINS 3 PACK



158-FF6 6MM 158-FF8 8MM FUEL FILTER CARD OF 10



160-FT6 6MM 160-FT8 8MM FUEL TAP INLINE



160-FLC6 6MM 160-FLC8 8MM FUEL LINE COUPLER ALLOY



158-FL41 4MM ID 8MM OD
158-FL61 6MM ID 10MM OD
158-FL81 8MM ID 13MM OD
HYPALON FUEL LINE WITH HOSE CLIPS
NITRILE RUBBER INNER WITH HYPALON OUTER
1 METRE ROLL



158-FL410 4MM ID 8MM OD 158-FL610 6MM ID 10MM OD 158-FL810 8MM ID 13MM OD HYPALON FUEL LINE

NITRILE RUBBER INNER WITH HYPALON OUTER 10 METRE ROLL



164-SPW1 6 X 12 X 1MM 164-SPW2 8 X 14 X 1MM 164-SPW3 10 X 14 X 1MM 164-SPW4 10 X 16 X 1MM 164-SPW5 12 X 18 X 1.5MM 164-SPW6 14 X 22 X 1.5MM 164-SPW7 12 X 20 X 2MM ALLOY SUMP PLUG WASHERS



HELPS TO MAINTAIN CONSTANT SPEED WHILE

RESTING YOUR WRIST





18/20MM AXLE PULLER ALLOY



TOW BALL CHROME 50MM X 3/4" SHANK SUIT ATV RATED TO 1600KG





160-SBS1 SPROCKET BOLT SET STAINLESS STEEL 8MM THREAD X 30MM 6 PER PACK

160-FTCHK



160-FEK ALLOY FENDER ELIMINATOR BLACK



138-BKC CHROME BULLET NUMBER PLATE BOLTS




160-FTCHU 160-FTCHG GOLD 160-FTCHGN GREEN (BEER CAN STYLE) 160-FTCHO ORANGE

160-FTCHR RED 160-FTCHS SILVER 160-FTCHT TITANIUM FUEL TANK CAP BREATHER HOSE. FLEXIBLE NEOPRENE HOSE



160-FTC3 ALLOY FUEL CAP TO SUIT YZ/DRZ/KLX ALLOY FUEL CAP TO SUIT KTM 00-07





















160-MC32 30CM X 40CM RINSE & DRY CLOTH (TURQUOISE) 1<mark>60-MC33</mark> 30CM X 40CM DETAIL & DUST (PURPLE)

160-MC5 30CM X 40CM MIXED PACK INCLUDING 1 X RINSE & DRY CLOTH (TURQUOISE), 2 X DETAIL & DUST (PURPLE) & 2 X CLEAN & WAX CLOTH (BLACK)

ØZZ



RETRÒ, CLASSIC STYLE GOGGLES SOFT FRAME WITH POLYCARBONATE LENSES AND ANTI-FOG TREATMENT MICROFIBRE POUCH INCLUDED UV400 - STANDARD POLYCARBONATE LENSES SUITABLE FOR DRIVING STANDARDS: 89/686/EEC - EN 1836:2005



112-91305 RAIN-DAYS T4, WATERPROOF GLOVE-COVERS MATERIAL: PVC COATED NYLON THREE-FINGERED GRIP ELASTICIZED WRIST RFFI FX INSFRT TAPED SEWING





112-91444 112-91445 112-91446

Large EU42-43 Extra Large EU44-45

WATERPROOF COATED PVC SHOE-COVERS NON-SLIP RUBBER SOLE ELASTICIZED UPPER CLOSURE REFLECTIVE INSERT EASY-FIT THANKS TO ZIP CLOSURE TAPED SEWING





160-P16154 Medium max 4,7 160-P16155 Large max 5,5 ARM BAND, PHONE HOLDER 160-P16155 HOLES FOR CONNECTING **EARPHONES** KEY HOLDER, REFLECTIVE BAND HOOK AND LOOP FIXING LIGHTWEIGHT







160-90255 MULTI HOLDER EVO 1, PHONE HOLDER WITH FLEXIBLE FIXING ARM WATERPROOF, SUITABLE FOR SMARTPHONES AND NAVIGATION SYSTEMS TOUCH SCREEN WINDOWS COVER ZIPPER CLOSURE AND POWER CABLE HOLE FLEXIBLE ARM FOR UNIVERSAL MOUNTING DIMENSION: 110 X 160 X 30 MM





160-90429 OPTI CASE, UNIVERSAL CASE FOR SMARPHONE SUITABLE FOR DEVICES MAX SIZE 160 X 90 MM WATERPROOF, RECHARGE CABLE ENTRY HOLE TOUCH SCREEN WINDOW COVER WITH SUN VISOR SAFETY CABLE INCLUDED. SPECIFIC FOR OPTI- FIXINGS 160-90437, 160-90439



OPTI BELT, SMARTPHONE CASE FIXING FOR HANDLEBAR SUITABLE TO FIX ON HANDLEBARS Ø 15 TO 40 MM. FULLY ADJUSTABLE, ALLOWS THE USE OF THE SMARTPHONE VERTICALLY AND HORIZONTALLY SPECIFIC FOR OPTI- FIXINGS







116-38832 USB-FIX TUBE, USB CHARGER WITH HANDLEBAR FIXING AND

FORK CONNECTORS
FAST CHARGE 3000 MA - 12/24V
SUITABLE FOR HANDLEBARS
WITH DIAMETER FROM
21 TO 32 MM





160-38878

USB FIX OMEGA, USB CHARGER WITH SCREW FIXING AND FORK CONNECTORS - 12/24V COMPACT DESIGN SCREWS OR BI-ADHESIVE FIXING (INCLUDED)

WIRED WITH FORK TERMINALS









176-TD100K 176-TD100W

HIGH QUALITY WATERPROOF TAPE GENUINE 100MPH RACE TAPE USED BY V8 SUPERCAR TEAMS 48MM X 25M



DRY-BAG, WATERPROOF DOCUMENTS HOLDER 140 X 160 MM



 176-TD25K
 BLACK

 176-TD25R
 RED

 176-TD25S
 SILVER

 176-TD25U
 BLUE

 176-TD24W
 WHITE

176-TD25Y YELLOW 25M HIGH GRADE WOVEN CLOTH TAPE



176-TEP9

POLYTHENE SELF AMALGAMATING TAPE TOUGH & ELASTIC, HIGH WATER & CHEMICAL RESISTANCE 18MM X 9M





176-TEC30
OEM GRADE CLOTH ELECTRICAL TAPE
IDEAL FOR WIRING HARNESSES
UP TO 130°C SERVICE TEMP

18MM X 30M



76-TC25

HIGH TACK CLEAR POLYETHYLENE TAPE IDEAL FOR PROTECTING FAIRINGS, FORK LEGS ETC 48MM X 25M



152-M20 MUFFLER 4 STROKE ROAD 20" CHROME DUNSTALL

152-MEE MUFFLER 2 STROKE ENDURO MINI WITH 3 REDUCERS 23-26-30-33MM (7/8", 1", 1 1/8", 1 1/4") REPACKABLE





160-PGS



160-PG3 HEAT SHIELD UNIVERSAL 4 STROKE WITH CLAMPS





152-MPM MAT 6MM NEEDLE 320 X 600MM 152-MPM2 MAT 6MM NEEDLE 500 X 1000MM MUFFLER PACKING



152-MS1 STICK ON HEAT SHIELD 3M 200MM X 360MM



152-MPB MUFFLER PACKING FLUFF 8-13 MICRON



152-ES57 152-ES75 EXHAUST SPRINGS ONE END SWIVELS BAG OF 10

57MM FREE LENGTH 75MM FREE LENGTH



140-HLC HEADLIGHT YAMAHA / UNIVERSAL 7" RD LC REPLICA WITH QH GLOBE & PLUG



140-HCBN HEADLIGHT HONDA / UNIVERSAL 7" CB-N REPLICA WITH QH GLOBE & PLUG



140-HEK OFF ROAD HEADLIGHT 12V PX15D 35/35W SEMI HALOGEN BLACK



140-HEW OFF ROAD HEADLIGHT 12V PX15D 35/35W SEMI HALOGEN WHITE



140-HIWR HEADLIGHT INSERT YAMAHA WR250/400/426 INCLUDES GLOBE



140-HIXR HEADLIGHT INSERT HONDA XR/DR



140-HB HEADLIGHT BRACKETS UNIVERSAL





TAIL LIGHT SPOILER ASSEMBLY RED LED



TAIL LIGHT SPOILER ASSEMBLY CLEAR LED NUMBER PLATE LIGHT





124-TSL4 TAIL LIGHT SPOILER ASSEMBLY CLEAR LED NUMBER PLATE LIGHT ADR COMPLIANT



124-TL1 STOP TAIL LIGHT RED LED LENS EMK





124-TL2 TAIL LIGHT CLEAR LED LENS **EMK**



124-TL3 TAIL LIGHT WITH NUMBER PLATE BRACKET RED 9 LED LENS WITH 4 LED CLEAR NUMBER PLATE LIGHTS **EMK** BLACK





TAIL LIGHT ASSEMBLY YAMAHA TT250/350/600, IT200L/250L/490L



124-TTY TAIL LIGHT ASSEMBLY YAMAHA TY REPLICA & EARLY DIRT BIKES W/OUT FLAP





124-TXRS UNIVERSAL TAIL LIGHT ASSEMBLY XR SLIM TYPE WITH NUMBER PLATE LIGHT 124-TLXRS LENS



124-TLDR TAIL LIGHT LENS SUZUKI DR600



124-TLXRE TAIL LIGHT LENS HONDA CT110, XR200-600 84-95



160-MFM MEDIUM MUDFLAP



160-MF3 UNIVERSAL MUDFLAP W/REFLECTOR



116-WH
WIRING HARNESS FOR REC REGISTRATION
UNIVERSAL ENDURO



116-NPL 12 VOLT NUMBER PLATE LIGHT STICK ON 4 LED LIGHTS 62MM X 14MM X 5MM



116-NPL2 12 VOLT NUMBER PLATE LIGHT 4 LED LIGHTS BLACK ALLOY




116-NPL3K NUMBER PLATE LIGHT BOLTS "IRON MIDGET" BLACK 2 PER PACK







CYKEL PRODUCTS AUSTRALIA PTY LTD PHONE: 03 9729 4888









116-SOP1 GOLD M10-1.25MM OIL PRESSURE SWITCH FOR BRAKE LIGHT SUITS JAPANESE MODELS



116-SOP2 SILVER M10-1.00MM OIL PRESSURE SWITCH FOR BRAKE LIGHT SUITS KTM/EURO MODELS



116-SOP3 GOLD M10-1.25MM OIL PRESSURE SWITCH ANGLED FOR BRAKE LIGHT SUITS JAPANESE MODELS



116-SOP4 SILVER M10-1.00MM OIL PRESSURE SWITCH ANGLED FOR BRAKE LIGHT SUITS KTM MODELS



116-SMY1
MAPPING SWITCH
SUITS YAMAHAYZ250F

















45-487-5BL GLOBE LED STOP TAIL

44-400-0L H4 120 SMD HEADLIGHT GLOBE 4.5W





 45-412-50UY
 12V10W ORANGE OFFSET

 45-194-70Y
 12V23W ORANGE

 45-194-70-00
 12V23W ORANGE OFFSET

45-457-5BY FOR ILK27/50/78/85/102/120 12V23W YELLOW BOX OF 10









2 PIECE SET



116-H6 6 VOLT 116-H12 12 VOLT UNIVERSAL HORN 65MM DIAMETER



116-H6K 6 VOLT BLACK 116-H12K 12 VOLT BLACK UNIVERSAL HORN 65MM DIAMETER



168-TAXL HONDA XL THROTTLE ASSEMBLY STRAIGHT PULL WITH CABLE UNIVERSAL FIT



168-TACR HONDA CR THROTTLE ASSEMBLY SIDE PULL FAST ACTION UNIVERSAL FIT



168-TAMX UNIVERSAL THROTTLE ASSEMBLY VORTEX STYLE SUITS KX/YZ/RM









HONDA CLUTCH CABLES

(KA4) CR250/500 84-96 168-HCC1 (KSE) CRF150R 07-14 168-HCC2 168-HCC3 (GC4) CR80/85 82-07 168-HCC4 (KCY) XR400 96-04 168-HCC5 (KCZ) XR250 96-04 168-HCC6 (KSK) CR250 04-07 CRF450R 02-07 168-HCC7 (KRN) CRF250R 08-09 168-HCC8 168-HCC9 (MEN) CRF450 13-14

KAWASAKI CLUTCH CABLES

 168-KCC1
 (1408) KX65 01-15

 168-KCC2
 (1311) KX80 89-00

 168-KCC3
 (1304) KX250 90-98

KTM CLUTCH CABLE

168-KTMT2 KTM 250EXC 2-5 400EXC 4-6

400XCW7

SUZUKU CLUTCH CABLES

168-SCC1 (02B13) RM80/85 89-10 168-SCC2 (37E00) RM250 90-98 168-SCC3 (29F00) DRZ400E 00-09

YAMAHA CLUTCH CABLES

(5SF) YZ250F 01-02 YZ426 168-YCC2 (5UL) YZ250F03-05 YZ450F 168-YCC3 (5UO) WR250F 03-15 168-YCC4 (5BE) YZ400F 98-99 168-YCC5 (5TJ) WR450F 03-06 168-YCC6 (5TJ) WR450F 07-11 168-YCC7 (2VM) YZ250 88-98 168-YCC8 (4JY) YZ125 94-03 168-YCC9 (4ES) YZ80/85 97-13 168-YCC10 (1SM) YZ250F14-17 YZ

HONDA THROTTLE CABLES

(ML3) CR250 90-96 168-HTC1 (KSE) CRF150R 07-14 168-HTC2 168-HTC3 (GBF) CR80/85 96-07 168-HTC4 (KCY) XR400 96-04 168-HTC5 (KCE) XR250 96-04 168-HTC6 (459) CT110 81-98 168-HTC7 (459) CT110 99-06 CRF250R04-9 CRF450R 2-8/X 5-12 168-HTC8 (MEN) CRF450 09-16 168-HTC9 168-HTC10 (KRN) CRF250R 10-13

KAWASAKI THROTTLE CABLES

168-KTC1 (1215) KX65 00-15 168-KTC2 (1411) KX85 01-13 168-KTC3 (1432) KX250 92-04

KTM THROTTLE CABLES

168-KTMT1 (5030209) 2 STRK 98-12 168-KTMT3 (77002091000) 250/450SXF-F 05-168-KTMT4 (51502091100) SX85/125/150/200

SUZUKI THROTTLE CABLES

168-STC1 (02B21) RM80/85 90-10 168-STC2 (26C00) RM250 86-93 168-STC3 (29F10) DRZ400E 00-09

YAMAHA THROTTLE CABLES

(5JG) YZ250F 01-02 YZ426 168-YTC2 (5TA) YZ250F 03 168-YTC3 (5XD) YZ250F 04-13 168-YTC4 (5BE) YZ400 98-00 168-YTC5 YZ250 00-14 168-YTC6 (1C3) YZ125 99-14 168-YTC7 (4ES) YZ80 93-03 168-YTC8 (1SM) YZ250F 14-17 168-YTC9 (5PG) PW50







PEZ













167-MRK-01F FRONT HONDA MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-01R REAR HON/KAW MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-02F FRONT HON/KAW/SUZ/YAM MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-02R REAR HONDA MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-03F FRONT KAW/YAM MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-03R REAR HON/SUZ/YAM MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-04F FRONT HUSA/HUSQ/KTM MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-04R REAR YAMAHA MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-06F FRONT HON/KAW/SUZ/YAM MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



167-MRK-06R REAR HUSA/HUSQ/KTM MASTER CYLINDER REPAIR KIT SEE CYKEL B2B FOR APPLICATION



164-WWNS SILVER NARROW STICK ON WHEEL WEIGHTS 5G & 10G 100 PER BOX



164-WWSOK BLACK STICK ON WHEEL WEIGHTS 5G & 10G 50 PER BOX













164-WWSP10 10G 164-WWSP15 164-WWSP25 15G 25G SPOKE WHEEL WEIGHTS 25 PER BAG

98-TMW-01 TYRE BEAD MOUNTING LUBE/WAX 1KG









128-GL4 GEAR LEVER HONDA XR250/400 96-03 11MM SPLINE STEEL



128-GL6F GEAR LEVER HONDA CR250 87-03 14MM SPLINE FORGED ALLOY



128-GL8 STEEL 128-GL8F FORGED ALLOY GEAR LEVER HONDA XR50-100 (1" LONGER), CRF50/70 XR100 YAMAHA YZ125 TO 04 11MM SPLINE



128-GL9 STEEL 128-GL9F FORGED ALLOY GEAR LEVER YAMAHA YZ125 96-03, YZ250 96-98 11MM SPLINE



128-GL13 GEAR LEVER KAWASAKI WR/YZ250 89-98 11MM SPLINE STEEL



128-GL16 GEAR LEVER SUZUKI RM250-500 80-85, PE175/250 79-83, TS185/250 STEEL



128-GL18F GEAR LEVER SUZUKI RM125 83-03 FORGED ALLOY



128-GL19F GEAR LEVER SUZUKI RM250 89-05 FORGED ALLOY



128-GL21F GEAR LEVER YAMAHA YZ/WR250/400 TO 02, YZ450 TO 04 14MM SPLINE FORGED ALLOY



128-GL22F GEAR LEVER KTM 2 STROKE 01-03 FORGED ALLOY







128-GL29 USE 70-FGL-052E GEAR LEVER KAWASAKI KX65 ALL STEEL

128-GL33F GEAR LEVER HONDA CR250 04-06 FORGED ALLOY



128-GL34 STEEL GEAR LEVER HONDA CR80/85 ON, XR75/80, XR200RD, XL100/125/185S KAWASAKI KLR250 YAMAHA IT/YZ125/175/250/400/425 76-81 11MM SPLINE



128-GL35F USE 70-FGL-014R GEAR LEVER HONDA CRF250 04 FORGED ALLOY



128-GL36F USE 70-FGL-005R GEAR LEVER HONDA CRF450 FORGED ALLOY



128-GL37F GEAR LEVER KTM SX85 FORGED ALLOY


ØZZ





128-GL38F GEAR LEVER KTM LC4 400/620/625/640 88 ON FORGED ALLOY




128-GL39F GEAR LEVER KAWASAKI KXF450 04-06 FORGED ALLOY













120-IKCE CAT EYE INDICATOR KIT **BLACK & AMBER** LENS 47MM X 30MM CARD OF 2



120-IKCEW CAT EYE INDICATOR KIT **BLACK & CLEAR** LENS 47MM X 30MM CARD OF 2



120-IKSC SPEAR INDICATOR KIT (E) RUBBER STALK **BLACK & CLEAR** LENS 50MM X 27MM CARD OF 2



120-IKSK SPEAR INDICATOR KIT RUBBER STALK **BLACK & AMBER** LENS 50MM X 27MM CARD OF 2



120-IKSCC SPEAR INDICATOR KIT RUBBER STALK CARBON & CLEAR LENS 50MM X 27MM CARD OF 2



120-IKSL SPEAR INDICATOR KIT LED (E) BLACK & CLEAR LENS 50MM X 27MM CARD OF 2





120-IKS2LK SPEAR INDICATOR KIT (E) **BLACK & CLEAR** LENS 35MM X 20MM RUBBER MOUNTED STALK **ULTRA BRIGHT** CARD OF 2



120-IKFC LED 120-IKFC FLUSH MOUNT INDICATOR KIT CLEAR LENS LENS 60MM X 35MM CARD OF 2



120-IKCBRC CBR1000 OEM MINI VERSION INDICATOR KIT BLACK & CLEAR LENS 50MM X 35MM CARD OF 2





120-IKM MINI SUPERBIKE INDICATOR KIT BLACK & AMBER LENS 55MM X 37MM CARD OF 2



120-IKMC MINI SUPERBIKE INDICATOR KIT BLACK & CLEAR LENS 55MM X 37MM CARD OF 2



120-IKFK STICK ON TEARDROP FAIRING INDICATOR KIT 6 CM LONG BLACK & AMBER BODY 60L X 20W CARD OF 2



120-IKWL LED INDICATOR KIT (E) MINI WEDGETAIL WITH RESISTORS E-MARKED LENS 45MM X 20MM CARD OF 2

ŒZ





120-IKHK HAWKE EYE LED INDICATOR KIT (E) BLACK & CLEAR LENS 53MM X 22MM ALLOY CARD OF 2



120-IKD MINI DIAMOND INDICATOR KIT (E) BLACK & AMBER LENS 35MM X 27MM CARD OF 2



120-IKMBLK MINI BULLET INDICATOR KIT (E) MATT BLACK & SMOKE BODY 60MM X 25MM 8MM MOUNTING SHAFT CARD OF 2







120-IKXR HONDA XR200/250/350/400/500/600 INDICATOR KIT WITH BRACKETS AND RUBBERS BLACK & AMBER DIAMETER 45MM CARD OF 4



120-IKE FLEXY RUBBER ENDURO INDICATOR KIT BLACK & AMBER DIAMETER 35MM CARD OF 4





YAMAHA TT250/350 INDICATOR KIT WITH BRACKETS AND RUBBERS

BLACK & AMBER DIAMETER 35MM STEEL BODY CARD OF 4


RESISTORS FOR LED INDICATOR KITS BUNDLE OF 2 12V10W 27 OHM

RESISTORS FOR LED INDICATOR KITS

BUNDLE OF 2

ŒZ

120-IRL2 12V21W 15 OHM 2 PIN



120-90065

WHITE LENS / AMBER LIGHT. CABLES WITH QUICK-FIT CONNECTORS. RUBBERIZED OVERHANG AND CRACK-PROOF JOINT E APPROVED 21W BLACK





CABLES WITH QUICK-FIT CONNECTORS. RUBBERIZED OVERHANG AND CRACK-PROOF JOINT E APPROVED 12V LED BLACK





120-9008

WHITE LENS / AMBER LIGHT. CABLES WITH QUICK-FIT CONNECTORS. RUBBERIZED OVERHANG AND CRACK-PROOF JOINT E APPROVED 12V LED CARBON







CABLES WITH QUICK-FIT CONNECTORS. E APPROVED 12V LED BLACK





AMBER LIGHT CABLES WITH QUICK-FIT CONNECTORS. DIMENSION: 75X15 MM RUBBERIZED OVERHANG AND CRACK-PROOF JOINT E APPROVED 12V LED BLACK







120-17 HONDA INDICATOR 33500-MG2-651



.ED

120-I122L LEFT 120-I122R RIGHT HONDA INDICATOR (E)



120-I130LF LEFT FRONT 120-I130LR LEFT REAR 120-I130RF RIGHT FRONT 120-I130RR RIGHT REAR HONDA INDICATOR (E)



120-I131LR RIGHT FRONT & LEFT REAR 120-I131RR LEFT FRONT & RIGHT REAR HONDA INDICATOR (E)



120-I133LF LEFT FRONT 120-I133LR LEFT REAR 120-I133RF RIGHT FRONT 120-I133RR RIGHT REAR HONDA INDICATOR (E)



120-I128L LEFT REAR 120-I128R RIGHT REAR KAWASAKI INDICATOR (E) 120-I132LF LEFT FRONT 120-I132RF RIGHT FRONT KAWASAKI INDICATOR (E)



120-I132LR LEFT REAR 120-I132RR RIGHT REAR KAWASAKI INDICATOR (E)



120-I56 REAR 35603-12C11 SUZUKI INDICATOR



120-l57 FRONT SUZUKI INDICATOR



120-I75 REAR YAMAHA INDICATOR

51L-83320-00



120-I118 LH FRONT & RH REAR 120-I119 RH FRONT & LH REAR YAMAHA INDICATOR (E)



120-I123L LH FRONT & RH REAR 120-I123R RH FRONT & LH REAR HYOSUNG INDICATOR (E)

35603-17C11







148-LAB2
MOTOCROSS LEVER ASSEMBLY

148-LAC2 MOTOCROSS LEVER ASSEMBLY CLUTCH UNIVERSAL, SPLIT BASE





QUICK ADJUST LEVER ASSEMBLY CLUTCH YAMAHA YZ/WR



148-LAC5 MX/ENDURO LEVER ASSEMBLY CLUTCH CRF250/450 WITH HOT START


BRAKE

UNIVERSAL, SPLIT BASE













CNC MACHINED FLEX LEVERS

- * Super strong T6061 Billet Alloy
- * Precision machined, ultra light
- * Folds forward, helps prevent breakage
- * Adjustable lever position

BULLBAR CNC FLEX LE

* Comes in handy re-useable "Tidy Box".

Bike	Application	Clutch	Brake
Honda	CRF 04-06	148-LC102C	148-LB46C
Honda	CRF 07-15	148-LC102C	148-LB107C
Husaberg	09-13	148-LC91C	148-LB105C
Kawasaki	KXF 06-12	148-LC70C	148-LB49C
Kawasaki	KXF 13-16	148-LC70C	148-LB106C
KTM/Husky	03-08	148-LC59C	148-LB105C
KTM	08-13	148-LC91C	148-LB105C
KTM/Husky	14 ON	148-LC91C	148-LB124C
Suzuki	RMZ 05-06	148-LC70C	148-LB49C
Suzuki	RMZ 07-16	148-LC32C	148-LB49C
Yamaha	YZ/F 01-08	148-LC70C	148-LB49C
Yamaha	WRF 05-13	148-LC75C	148-LB49C
Yamaha	YZ/F 09-16	148-LC98C	148-LB106C
Yamaha	YZ/F 08-16	148-LC70C	148-LB106C
Yamaha	WRF 13-15	148-LC75C	148-LB121C
Refer to Lever packaging or call us for detailed listing information.			



BULL BAR





BULLBAR CNC FLEX CLUTCH LEVER 6061-T6 ALLOY SUITS SUZUKI RMZ 07-13

YAMAHA YZ/F 01-14







148-LC75C BULLBAR CNC FLEX CLUTCH LEVER 6061-T6 ALLOY SUITS YAMAHA WRF 05-15





148-LC98C BULLBAR CNC FLEX CLUTCH LEVER 6061-T6 ALLOY SUITS YAMAHA YZ/F 09-14



148-LC102C
BULLBAR CNC FLEX CLUTCH LEVER
6061-T6 ALLOY
SUITS HONDA CRF 04-14

148-LB46C
BULLBAR CNC I
6061-T6 ALLOY
SUITS HONDA CRF 04-14



148-LB46C BULLBAR CNC FLEX BRAKE LEVER 6061-T6 ALLOY SUITS HONDA CRF 04-06



BULLBAR CNC FLEX BRAKE LEVER 6061-T6 ALLOY SUITS HONDA CRF 04-14, SUZUKI RMZ 05-13, YAMAHA YZ/F 01-08, WRF 05-13



148-LB105C BULLBAR CNC FLEX BRAKE LEVER 6061-T6 ALLOY SUITS HUSABERG 09-13, KTM 03-13, HUSKY 03-08



148-LB106C BULLBAR CNC FLEX BRAKE LEVER 6061-T6 ALLOY SUITS KAWASAKI KXF 13-14, YAMAHA YZ/F 08-14




148-LB107C BULLBAR CNC FLEX BRAKE LEVER 6061-T6 ALLOY SUITS HONDA CRF 07-14



148-LB121C BULLBAR CNC FLEX BRAKE LEVER 6061-T6 ALLOY SUITS YAMAHA WRF 13-15















REFER TO APPLICATION GUIDE PAGES 95-124 OR LOGON ONLINE TO WWW.CYKEL.COM.AU AND USE THE MAKE MODEL SEARCH LISTING FOR CORRECT FITMENT
















REFER TO APPLICATION GUIDE PAGES 95-124 OR LOGON ONLINE TO WWW.CYKEL.COM.AU AND USE THE MAKE MODEL SEARCH LISTING FOR CORRECT FITMENT












REFER TO APPLICATION GUIDE PAGES 95-124 OR LOGON ONLINE TO WWW.CYKEL.COM.AU AND USE THE MAKE MODEL SEARCH LISTING FOR CORRECT FITMENT

































70-JUG-1L 1L MEASURING JUG 70-JUG-2L 2L MEASURING JUG

160-OP2S CLEAR OIL PITCHER WITH LID AND SPOUT 2 LITRES







 10-BOX-01
 1 COMPARTMENT 300X100X100

 10-BOX-02
 2 COMPARTMENT 300X100X100

 10-BOX-03
 3 COMPARTMENT 300X200X100

 10-BOX-04
 4 COMPARTMENT 300X100X100

 10-BOX-04L
 4 COMPARTMENT 300X200X100

 10-BOX-05L
 5 COMPARTMENT 300X100X100

 10-BOX-05L
 5 COMPARTMENT 300X200X100

 12" STOCK BOX, STRONG CARDBOARD



174-SB12 12 COMPARTMENT 174-SB18 18 COMPARTMENT STORAGE BOX DURABLE CLEAR PLASTIC



174-ST STORAGE TUB DURABLE CLEAR PLASTIC



MERCHANDISING REORDER TAGS ASK OUR SALES TEAM

ASK OUR SALES TEAM FOR DETAILS



ASSORTED CORFLUTES

ASK OUR SALES TEAM FOR DETAILS